## Numete















## Performance You Can Trust

2025 PRODUCT CATALOGUE GLOBAL EDITION

# Making better products in better ways.

- We select materials and processes that are more sustainable, and manufacturing that has less impact.
- Our products are designed to be more efficient, reducing energy use and carbon impact.
- We make products that are reliable, serviceable and built to last.

export our products to 86 countries across the world,

🖲 Numatic HQ - Somerset, UK 🔵 Subsidiary Numatic Companies 😑 International Partners

Head Office **Numatic International Limited** Chard, Somerset TA20 2GB UNITED KINGDOM

Tel: +44 (0)1460 68600 numatic.com

We continually review, refine and adapt our manufacturing processes to deliver even greater levels of sustainability throughout our product ranges.

Hem

Chris Duncan Chairman and Founder of Numatic International Ltd.

In 2025, our customers continue to face an array of complex and urgent challenges. Key priorities such as elevating cleaning and hygiene standards, optimising productivity and advancing sustainability remain at the forefront of our customers agendas. Addressing today's demands while preparing for the challenges of tomorrow requires professional cleaning solutions that deliver **Performance You Can Trust.** 

## **Delivering excellence in customer service** and product performance across the globe.

Subsidiary Numatic companies are based in France, Germany, South Africa, The Netherlands, Switzerland, Portugal, Spain and Italy. Long-standing relations with trusted international partners across the globe position us to deliver quality service and product performance in all markets to all customers.




Page	Contents
4 4-5 6-7	Sustainability Sustainability Formula Net Zero by 2035 Sustainability in Action: ReFlo Technology, charity: water C Level Offsetting
8 9 10-11	<b>Our Services</b> ServiceCare Digital Services: Nu-Assist, Nu-Design, Nu-Track The Complete Cleaning Solution
	HomeCare & Hi-Line The familiar faces of Henry and Frien bring reliability, quality and profession cleaning to every home. HomeCare & Hi-Line Kits
24-49 50-51	<b>CleanCare</b> Bringing power, performance and reliability to our commercial cleaning product range. CleanCare Kits
	ProCare Advanced, professional cleaning for the collection and control of dust and hazardous substances. ProCare Kits
	FloorCare Providing innovative, reliable and effe floorcare solutions, even in the most demanding environments. FloorCare Brushes/Pads & Accessories
ion <b>82-115</b>	VersaCare Raising cleaning standards and productivity with versatility, innovatio and quality are at the core of our janitorial cleaning systems.

# SUSTAINABILITY

## **Sustainability Formula**

The Numatic Sustainability Formula is the foundation to all our product development and sustainable initiatives.



## **Integrated Sustainability**

## We recognise the need and demand for sustainable cleaning solutions and commit to initiatives across our business.

A sustainable approach is integrated throughout all of our operations, from design to manufacturing, to distribution and when in use. Our teams always strive to innovate and introduce even more sustainable manufacturing practices at our 42 acre site in Somerset, United Kingdom.


\$0 Æ Extensive Solar Resource-Efficient Investment Technologies

## **Carbon Neutral**

From 2024 Numatic has reached carbon neutrality for Scope 1 and 2 emissions, marking a significant milestone in our commitment to sustainability.



## **Sustainability Roadmap**







23 Sustainable Product Lifecycle



## Scope 1

Direct emissions produced by our company facilities and our company vehicles.

## Scope 2

Indirect emissions from purchased electricity, steam, heating and cooling used for our own use.

## Scope 3

Emissions covered by Scope 3 include our upstream and downstream operations.



## **Sustainability in Action**

Achieving ambitious sustainability targets requires innovation, action and transparency. These initiatives move us forward in reaching our goals and leading the way in providing sustainable cleaning solutions for our customers.

Sustainability is broader than just reducing our carbon footprint. True sustainability is helping others to be sustainable in their everyday practices, ensuring the earth and its communities are cared for.



## Echarity: water



numatic.com/sustainability




**ReFlo Technology** 

Many of our products are made using ReFlo recycling plastic reducing the use of virgin plastic wherever possible, whilst maintaining the same quality and durability in our products. ReFlo Technology uses high-quality, post-industrial and post-consumer plastics across the Numatic range.



The Bigger Picture We've partnered with charity: water to provide water to communities and projects that need it the most. Through every purchase of a 244NX, we donate the equivalent of 5000L of water. Nepal, Piped system tap stand

**Following extensive research** and testing, we have introduced **ReFlo Technology to our** FloorCare range, joining our **VersaCare Janitorial and CleanCare Vacuum ranges.** 



Working in partnership with: 🔀 charity: water

**Our most recent completed** project took place In Nepal, positively impacting a total of 596 people.

> Over 100 MILLION Litres of water funded since launch in 2021.



Not Just Any Offsetting We've been reducing our carbon footprint and offsetting global bag sales since 2020. We've partnered with a leading company in carbon offsetting innovation, C Level.

## **TARGETS AND INITIATIVES**

We recognise the need and demand for sustainable cleaning solutions and commit to initiatives across our business.

This includes becoming Net Zero by 2035 (for Scope 1 and 2), setting incremental targets to keep us on track. Numatic has joined the Science Based Targets Initiative (SBTi), setting ambitious emissions reduction targets in line with the latest climate science.

While we work on reducing our emissions, we have taken additional measures to reduce our impact on the planet by carbon balancing our Scope 1 and 2 emissions through our trusted offsetting partner, C Level.





## **Net Zero** by 2035



# SERVICECARE

We believe cleaning floors should be simple. It's about having the right equipment and right support; it really doesn't have to be more complicated than that. Simple cleaning, complete support.

## Numatic ServiceCare

**Cleaning Productivity Made Simple** 

We work with you at every turn, equipping you with all you need to maintain the highest cleaning standards.

- For extra peace of mind, our full-service contracts cover you for any accidental damage or breakdowns, including two
- Servicing, Breakdown and Health Checks
- Digital Training, Maintenance and Guides
- Site Survey On-site Demo
  - Refresher Operator Training
  - Installation and Training


Available in the UK. Local market availability may vary, contact your Numatic representative for more information.

visits every year to service your machine.

"Our full-service contracts cover you for any accidental damage or breakdowns."

# **DIGITAL SERVICES**

"Increase cleaning productivity with training and support at your fingertips."







## **Increase Cleaning Productivity**

The Nu-Assist App offers the benefit of online training through a simple, versatile and user-friendly solution, resulting in increased cleaning performance and productivity.











## **Bespoke Trolley Configurator**

Nu-Design guides you through the product to configuration process, providing a visual output and configuration breakdown at each selection. The result; a reliable, functional and innovative cleaning system that meets your needs precisely.







## **Intelligent Fleet Management**

Understand how, when and where your cleaning fleet is operating. Each asset automatically uploads status, location and usage reports to portal.





## THE COMPLETE **CLEANING SOLUTION**

## **Healthcare**

Working closely with the Healthcare industry, raising cleaning standards and productivity.

Maintaining the highest standard of cleanliness and hygiene can be challenging, when working against the demands and pressures of a busy and diverse hospital, clinic or care home. You need cleaning equipment that meets your needs completely.



## **Education**

**Creating clean environments** to work, learn and play.

Clean environments don't only deliver increased hygiene and safety, but also more positive, creative and comfortable environments for their users.



## 🗐 🗍 🕹 Logistics & Handling

Increasing cleaning performance and productivity for the Logistics & Handling industry around the clock.



## The UK's most comprehensive range of cleaning solutions, serving customers in all industries.





## Construction

**Robust and reliable equipment that** has the power and performance to tackle whatever you throw at it.


advanced filtration to H-Class and equipment for every eventuality, ready to withstand the drops, bangs and scrapes that can happen frequently in the professional trade environment.

## **Facilities Management**

**Collaborating with the Facilities** Management industry delivering on high-quality, bespoke cleaning equipment for every sector.

Customers are seeking to overcome to clean large shopping centres, busy supermarkets, compact store floors or open office spaces, our cleaning solutions deliver advanced cleaning results with maximum cleaning productivity.






# HomeCare & Hi-Line

Powerful cleaning from the UK's best-selling vacuum.

## Contents

Henry / Hetty Quick	14-15
Henry / Hetty 160	16
Henry Xtra 160	16
Henry Petcare 160	16
Henry Allergy 160	16
Henry / Hetty Eco 160	17
George	18
Henry Wash	19
Charles	19
Henry / Hetty SprayMop	19
Henry / Hetty 200	20
Henry 170 / 170 HEPA	20
James	21
Henry Xtra 200	21
Henry 240	21
Henry Petcare 200	21
HomeCare & Hi-Line Accessories & Kits	22-23







## **Cordless Vacuum Cleaner** HENRY QUICK HETTY HENRY HENRY FEBRUARY 2024 QUICK QUICK PET QUICK PRO **HEN100** HTY100 **HEN100 HEN100** Which<sub>2</sub> NEW **Best Buy** CORDLESS VACUUM CLEANE What's in "Love love love! Best the box? THE vacuum cleaner l've ever had. So easy to use. Robust. No mess. 0 Brilliant design. Great value." Emma 2 April 2024 🖈 Trustpilot

1 One-click Dust-free Emptying 2 Handy Tools 3 Compacts dust inside the pod for more capacity than most leading vacuums.

Available in Henry Quick Red, Hetty Quick Pink, Henry Quick Pet Blue and NEW Henry Quick Pro Grey

dependent on ambient temperature and expected battery ageing.





1 Soft Dusting Brush 2 Flexi Crevice Tool

3 Flexi Hose 4 Mini Motorised Tool

"Ready to go wherever you are for quick, easy and lightweight cleaning."

	Quick	Quick	Quick(Pet	Quick(PR
Extended-Use Handle	<b>~</b>	✓	✓	<b>~</b>
Wall Dock	<b>~</b>	>	<ul> <li></li> </ul>	<ul> <li></li> </ul>
Charger & Battery	<ul> <li></li> </ul>	>	<ul> <li></li> </ul>	<ul> <li>✓</li> </ul>
2-in-1 Combi & Crevice Tool	<ul> <li></li> </ul>	>	<ul> <li></li> </ul>	<ul> <li>✓</li> </ul>
Henry Quick Pods	x6	x6	x6	x6
Scent Pods	x1	x1	x10	x10
Mini Motorised Tool	×	×	<ul> <li></li> </ul>	<ul> <li></li> </ul>
Flexi Crevice Tool	×	X	×	<ul> <li>✓</li> </ul>
Flexi Hose	×	×	×	<ul> <li>✓</li> </ul>
Soft Dusting Brush	×	×	X	<ul> <li></li> </ul>





<b>1L</b> Pod Capacity	<b>300W</b> Motor	<b>70mins</b> Runtime	<b>3.2KG</b> Weight
Power	25.2V	Recharge Time 2.5hrs - 100%	
240x270x1220mm <b>(WxLxH)</b>		Accessories (see pa	age 23)

Figures displayed are with Brush Head off. Run and recharge times may vary



## **HENRY**

"Henry is the UK's best-selling vacuum."

### HENRY HVR160 / HETTY HET160



Carpets, hard-floors, cars, stairs, DIY Handy on-board tool storage A tool for every job
 Emptying with no dust and no mess



#### **HENRY PETCARE HPC160**



Powerful AiroBrush270 for stubborn pet hair on carpets
 Compact AiroBrush140 tackles pet hair on the stairs,

- ocimpact Allocation for tackies p sofa and in the car
   Odour-reducing MicroFresh Filter
- Emptying with no dust and no mess

6L Capacity	620W Motor		7.7KG Weight
Power 230V / AC 5	50/60Hz Cleanir		ng Range <b>25.7m</b>
Power Cord 1	0m	Suction H <sub>2</sub> 0 2300mm	
320x340x345mm <b>(</b>	WxLxH)	Kit <b>HS</b>	<b>0</b> (see page 22)

1 Henry Xtra 160 2 Specialist Hard Floor Tool 3 AiroBrush140 4 AiroBrush270 5 Combi Floor Tool 6 EcoBrush190

**HENRY XTRA HVX160** 



- Powerful AiroBrush270 for carpets Specialist Hard Floor Tool
   A tool for every job
- Handy on-board tool storage
   Emptying with no dust and no mess

6L Capacity	620W Motor		7.5KG Weight
Power 230V / AC 5	50/60Hz	Cleaning Range 25.7m	
Power Cord 10m		Suctio	n H <sub>2</sub> 0 <b>2300mm</b>
320x340x345mm (	WxLxH)	Kit <b>XS</b>	<b>0</b> (see page 22)





High-performance Combi Floor Tool Specialist FreeFlo Hard Floor Tool Advanced, 3-stage Hepa13 filtration
 Handy on-board tool storage
 Emptying with no dust, no mess, no allergens

lenny

**HENRY ALLERGY HVA160** 

ertifie

\*

	6L Capacity	620W Motor		7.7KG Weight
	Power 230V / AC 50/60Hz		Cleanir	ng Range <b>25.7m</b>
100	Power Cord 10m		Suctio	on H <sub>2</sub> 0 <b>2300mm</b>
21/20	320x340x345mm (WxLxH)		Kit <b>AS</b>	<b>9</b> (see page 22)





Using our 420W high-efficiency motor, the Eco Range delivers powerful cleaning while reducing energy usage and cost.\*







- Our highest efficiency motor yet
- 30% reduction in energy consumption
   Powerful EcoBrush for stubborn dust, dirt and pet hair

<b>6L</b> Capacity	420W Motor		<b>7.7KG</b> Weight
Power 230V / AC 50/60Hz		Cleaning Range 25.7m	
Power Cord 1	Power Cord 10m		on H <sub>2</sub> 0 <b>1750mm</b>
320x340x345mm (WxLxH)		Kit <b>HS</b>	61 (see page 22)

## **Annual Energy Usage**

900 Watts 620 Watts 420 Watts

\*Comparisons for illustration purposes only.




## WET Vacuum Range



Whether you want to deep-clean the carpet, suck up spills, unblock the sink, freshen-up furniture, valet the car or vacuum the floor, George is ready to save the day.

2





George 1 Dual Scrub Wet Pick-Up Tool 2 Fishtail Extraction Tool

**GEORGE GVE370** 



4-in-1 wet, dry, extraction and upholstery Revive carpets, clean hard-floors, refresh the sofa, valet the car, suck-up spills and even unblock the sink

<b>15L / 9L</b> Capacity	<b>6L</b> Extraction	1000W Motor	11.2KG Weight
Dry / Wet Power <b>230V /</b>	Capacity AC 50/60Hz	Cleaning Range 26.8m	
Power Cord 10m		Suction H <sub>2</sub>	0 <b>2400mm</b>
360x370x510mm (WxLxH)		Kit <b>A26A</b> (s	ee page 22)

"The cleaning power is astonishing stains we thought were permanent have faded or disappeared completely! Very pleased."

> Susan 4 October 2024





**HENRY WASH HVW370** 



**CHARLES CVC370** 



liarles

Versatile wet and dry toolkit

Shampoo carpets, clean hard-floors Valet the car, refresh the sofa
 Emergency clean-ups and DIY

<b>9L / 6L</b> Capacity / Extraction	<b>1000W</b> Motor	<b>10.6KG</b> Weight		<b>15L / 9L</b> Capacity Dry / Wet
Power 230V / AC 50/60Hz	Cleaning Range 26.9m			Power 230V / AC 50/60Hz
Power Cord 10m	Suction H <sub>2</sub> 0 2400mm		Power Cord 10m	
360x370x510mm (WxLxH)	Kit <b>AH6</b> (se	e page 22)		360x370x510mm (WxLxH)



Henry Wash 3 Fishtail Extraction Tool

Charles 4 Convenient Carry Handle 5 MultiFlo Wet Pick-Up Tool

## HomeCare & Hi-Line



Blocked sinks, showers, household leaks, spills, DIY, car, home


<b>1000W</b> Motor	<b>9KG</b> Weight				
Cleaning Range 26.4m					
Suction H <sub>2</sub> 0 2400mm					
Kit A21A (see page 22)					

Henry & Hetty SprayMop 6 Easy-fill Liquid Dispenser 7 Foot & Hand Pump to Release Liquid

## HENRY & HETTY SPRAYMOP

- Perfect all-rounder

- Derrect all-rounder
   Swivel design
   Easy-fit mop pads
   On-board liquid dispenser
   Use again and again





## HENRY **Hi-Line Range**

"With over 16 million made, and most still in use... Henry truly is the vacuum you can trust."



### HENRY HVR200 / HETTY HET200



Versatile toolkit Carpets, hard-floors, cars, stairs, DIY Handy on-board tool storage
 Emptying with no dust and no mess

<b>9L</b> Capacity	620W Motor		8KG Weight
Power 230V / AC 50/60Hz		Cleaning Range 26.4m	
Power Cord 10m		Suctio	n H <sub>2</sub> 0 <b>2300mm</b>
340x360x370mm <b>(WxLxH)</b>		Kit <b>AS</b>	<b>0</b> (see page 22)

## **Henry Original**

The original 200 series, a trusted and familiar face on the outside with the latest innovation inside.



	Advanced
HENRY HVR170	HENRY HVR170
Clenggy	
<ul> <li>Versatile toolkit</li> <li>Carpets, hard-floors, cars, stairs, DIY</li> <li>Handy on-board tool storage</li> <li>Emptying with no dust and no mess</li> </ul>	<ul> <li>Versatile toolkit</li> <li>Carpets, hard-floors, cai</li> <li>Certified HEPA13 filtratic</li> <li>0.3 microns at 99.95% e</li> <li>Handy on-board tool stop</li> <li>Emptying with no dust a</li> </ul>

		<b>DW</b> otor	<b>8KG</b> Weight
Power 230V / AC 50/60Hz		Cleaning Range 26.4m	
Power Cord <b>10m</b>		Suctio	n H <sub>2</sub> 0 <b>2300mm</b>
360x370x390mm <b>(WxLxH)</b>		Kit <b>AS</b>	<b>0</b> (see page 22)

Advance	ed H	EPA	13 Fil	tration	y .
HENRY HVR1	70 HEF	PA			<
*		Cer	tified PA13 ation	HEPA13 Filter Cartridge	
	);			High-efficiency TriTex Filter	
<ul> <li>Versatile toolkit</li> <li>Carpets, hard-floors</li> <li>Certified HEPA13 fil</li> <li>0.3 microns at 99.9</li> <li>Handy on-board too</li> <li>Emptying with no d</li> </ul>	tration dow 5% efficien ol storage	n to cy		Triple-layer HepaFlo Filter Bag	a let
7.2L Capacity	620 Moto	w	8.2KG Weight		U
Power 230V / AC 50	0/60Hz	Cleanir	ng Range <b>26.4n</b>	1	r
Power Cord 10	m	Suctio	n H <sub>2</sub> 0 <b>2300mm</b>		
360x370x390mm (WxLxH)		Kit <b>AS0</b> (see page 22)			



### **HENRY XTRA HVX200**





 Versatile toolkit
 Carpets, hard-floors, cars, stairs, DIY
 Convenient cable replacement system Handy on-board tool storage Emptying with no dust and no mess

 Powerful AiroBrush270 for carpets
 Specialist Hard Floor Tool Carpets, hard-floors, cars, stairs, DIY Handy on-board tool storage Emptying with no dust and no mess

8L 620 Capacity Mot				<b>9L</b> Capacity	62 Mo	-
Power 230V / AC 50/60Hz		Cleaning Range 26.4m		Power 230V / AC 5	50/60Hz	
Power Cord 10m		Suction H <sub>2</sub> 0 2300mm		Power Cord 1	0m	
340x365x360mm (WxLxH)		Kit <b>AS0</b> (see page 22)		340x360x370mm <b>(</b>	WxLxH)	

## **Henry Petcare**

Driven by Henry's powerful airflow, the AiroBrush270 easily picks-up stubborn pet hair from carpets.

### **HENRY PETCARE HPC200**





## HomeCare & Hi-Line

<b>0W 8KG</b> otor Weight			
Cleaning Range <b>26.4m</b>			
Suction H <sub>2</sub> 0 2300mm			
Kit <b>XS0</b> (see page 22)			

## **HENRY HVR240**



- Carpets, hard-floors, cars, stairs, DIY
   Bumper for wall and door protection
- Handy on-board tool storage
- Emptying with no dust and no mess


9L 620 Capacity Mo			<b>9KG</b> Weight
Power 230V / AC 5	50/60Hz	Cleanir	ng Range <b>26.4m</b>
Power Cord 1	0m	Suctio	n H <sub>2</sub> 0 <b>2300mm</b>
360x370x415mm <b>(</b>	WxLxH)	Kit <b>AS</b>	<b>0</b> (see page 22)

# **HOMECARE & HI-LINE**

## KITS



601008	Stainless Steel Extension Tube (x2)
601052	Stainless Steel Tube Bend with NPC Volume Cont
915909	2.2m FloMax Conical Hose
912358	280mm ProFlo Combination Floor Tool
601141	Double Taper Hose / Tool Adaptor
601142	240mm Crevice Tool
601144	65mm Soft Dusting Tool
601145	150mm Upholstery Tool
601146	150mm Slide-on Brush Tool
	601142 601144 601145



#### KIT AH6 - 911124

908584	907234 907474 907235
908584	Stainless Steel Trigger Valve Wand
601008	Stainless Steel Extension Tube (x2)
907235	100mm Upholstery Extraction Tool
914766	2.5m Bayonet Hose
578002	275mm Fishtail Extraction Tool
907474	300mm Dual Scrub / Wet Pick-up Tool
907233	Spray Tube C/W x2 clips

907234 2.9m Solution Tube C/W x6 clips



601141 Double Taper Hose / Tool Adaptor 601142 240mm Crevice Tool 601144 65mm Soft Dusting Tool 601145 150mm Upholstery Tool 601146 150mm Slide-on Brush Tool

KIT HS1 - 607361

601052

601008

601008

KIT	KIT XS0 - 909146					
601052	914411 912358 601141 601142 907424 601145 601144 907424 601145 601144					
601008	Stainless Steel Extension Tube (x2)					
601052	Stainless Steel Tube Bend with NPC Volume Control					
914411	2.2m FloMax Conical Hose					
912358	280mm ProFlo Combination Floor Tool					
907424	AiroBrush270 Turbo Brush					
900918	300mm MultiFlo Dry Brush Tool					
601141	Double Taper Hose / Tool Adaptor					
601142	240mm Crevice Tool					
601144	65mm Soft Dusting Tool					
601145	150mm Upholstery Tool					
601146	150mm Slide-on Brush Tool					



	601008	Stainless Steel Extension Tube (x2)
	601052	Stainless Steel Tube Bend with NPC Volume Control
	914413	2m Threaded Hose
	902071	300mm Combination Floor Tool
	900954	300mm MultiFlo Wet Pick-up Tool
	601141	Double Taper Hose / Tool Adaptor
	601142	240mm Crevice Tool
	601144	65mm Soft Dusting Tool
	601145	150mm Upholstery Tool
	601146	150mm Slide-on Brush Tool



914411 2.2m FloMax Conical Hose

601228 EcoBrush190 Turbo Brush

601142 240mm Crevice Tool

601144 65mm Soft Dusting Tool

601145 150mm Upholstery Tool

601146 150mm Slide-on Brush Tool

912358 280mm ProFlo Combination Floor Too

601141 Double Taper Hose / Tool Adaptor

601006         Lower Tool Extraction Tube           601008         Stainless Steel Extension Tube           601009         Extraction Trigger Bend Tube           601225         100mm Upholstery Extraction Tool           907474         300mm Dual Scrub / Wet Pick-up Tool           914765         1.9m Bayonet Hose           601968         CleanTec Trigger Valve and Spray Tube           601126         275mm Fishtail Extraction Tool           902071         300mm Combination Floor Tool           601142         240mm Crevice Tool           601144         65mm Soft Dusting Tool		
601009         Extraction Trigger Bend Tube           601225         100mm Upholstery Extraction Tool           907474         300mm Dual Scrub / Wet Pick-up Tool           914765         1.9m Bayonet Hose           601929         3m CleanTec Trigger Valve and Spray Tube           601126         275mm Fishtail Extraction Tool           902071         300mm Combination Floor Tool           601141         Double Taper Hose / Tool Adaptor           601142         240mm Crevice Tool           601144         65mm Soft Dusting Tool	601006	Lower Tool Extraction Tube
601225       100mm Upholstery Extraction Tool         907474       300mm Dual Scrub / Wet Pick-up Tool         914765       1.9m Bayonet Hose         601968       CleanTec Trigger Valve and Spray Tube         601299       3m CleanTec Extraction Hose         601126       275mm Fishtail Extraction Tool         902071       300mm Combination Floor Tool         601141       Double Taper Hose / Tool Adaptor         601142       240mm Crevice Tool         601144       65mm Soft Dusting Tool	601008	Stainless Steel Extension Tube
907474     300mm Dual Scrub / Wet Pick-up Tool       914765     1.9m Bayonet Hose       601968     CleanTec Trigger Valve and Spray Tube       601299     3m CleanTec Extraction Hose       601126     275mm Fishtail Extraction Tool       902071     300mm Combination Floor Tool       601141     Double Taper Hose / Tool Adaptor       601142     240mm Crevice Tool       601144     65mm Soft Dusting Tool	601009	Extraction Trigger Bend Tube
914765     1.9m Bayonet Hose       601968     CleanTec Trigger Valve and Spray Tube       601299     3m CleanTec Extraction Hose       601126     275mm Fishtail Extraction Tool       902071     300mm Combination Floor Tool       601141     Double Taper Hose / Tool Adaptor       601142     240mm Crevice Tool       601144     65mm Soft Dusting Tool	601225	100mm Upholstery Extraction Tool
601968         CleanTec         Trigger Valve and Spray Tube           601299         3m         CleanTec         Extraction Hose           601126         275mm         Fishtail Extraction Tool           902071         300mm         Combination Floor Tool           601141         Double Taper Hose / Tool Adaptor           601142         240mm         Crevice Tool           601144         65mm         Soft Dusting Tool	907474	300mm Dual Scrub / Wet Pick-up Tool
601299     3m CleanTec Extraction Hose       601126     275mm Fishtail Extraction Tool       902071     300mm Combination Floor Tool       601141     Double Taper Hose / Tool Adaptor       601142     240mm Crevice Tool       601144     65mm Soft Dusting Tool	914765	1.9m Bayonet Hose
601126       275mm Fishtail Extraction Tool         902071       300mm Combination Floor Tool         601141       Double Taper Hose / Tool Adaptor         601142       240mm Crevice Tool         601144       65mm Soft Dusting Tool	601968	CleanTec Trigger Valve and Spray Tube
902071     300mm Combination Floor Tool       601141     Double Taper Hose / Tool Adaptor       601142     240mm Crevice Tool       601144     65mm Soft Dusting Tool	601299	3m CleanTec Extraction Hose
601141         Double Taper Hose / Tool Adaptor           601142         240mm Crevice Tool           601144         65mm Soft Dusting Tool	601126	275mm Fishtail Extraction Tool
601142         240mm Crevice Tool           601144         65mm Soft Dusting Tool	902071	300mm Combination Floor Tool
601144 65mm Soft Dusting Tool	601141	Double Taper Hose / Tool Adaptor
	601142	240mm Crevice Tool
	601144	65mm Soft Dusting Tool
601145 150mm Uphoistery Iool	601145	150mm Upholstery Tool
601146 150mm Slide-on Brush Tool	601146	150mm Slide-on Brush Tool

601052 Stainless Steel Tube Bend with NPC Volume Control



## ACCESSORIES


### **HENRY HEPAFLO BAGS**

5 Bag Pack (NVM-1CH) 907076 10 Bag Pack (NVM-1CH) 907075

## **Designed for Henry, by Henry**

Henry Bags are the perfect fit, maximising capacity and airflow, delivering peak suction. All Numatic vacuum bags are 100% carbon balanced.

Genuine Henry HepaFlo Bags are suitable for use with Henry, Hetty, Harry and James.



## **HENRY / HETTY QUICK BOXED ACCESSORIES**



## **PRO ACCESSORY KITS**

Henry ProKit 909257 Henry Quick Pro Kit 919221 The Henry Quick ProKit has been designed to Includes: AiroBrush270 provide the best possible and most convenient AiroBrush140 cleaning results from your Henry Quick Pro. Hard Floor Tool Henry Quick Pro Tools include: Intended for dry use only Flexi Hose Flexi Crevice Tool Soft Dusting Brush Bruch140 Flexi Crevice Tool Hard Floor Tool

Brush270



## HomeCare & Hi-Line Accessories & Kits



**BOXED ACCESSORIES** 





909585	280mm ProFlo Combination Floor Tool
909553	AiroBrush270 Turbo Brush
909554	AiroBrush140 Hand Turbo Brush
909555	300mm MultiFlo Dry Brush Tool
909556	Multi Angle Tool
909557	2m FloMax Conical Hose
909558	Flexi Crevice Tool
909560	TriTex Filter 11" / 280mm
909559	TriTex Filter 12" / 305mm
909562	MicroFresh Filter 11" / 280mm
909561	MicroFresh Filter 12" / 305mm
909563	32mm Stainless Steel Tube Set
909564	Handy Kit (A4)
909587	Mattress Tool + Slide-on Brush
909565	Crevice Tool
909566	Soft Dusting Tool
909567	Henry Kit (AS0)
909257	Henry ProKit
919221	Henry Quick ProKit
912405	PetKit 11"
910295	PetKit 12"
911812	Car and Stair Kit
912180	Reach Kit




# CleanCare

CleanCare brings power, performance and reliability to our commercial cleaning product range.

## Contents

Eco ReFlo Range	26-27
ProLine Range	28-29
Numatic Quick	30-31
NX300 Pro Cordless Network	32-39
Mains Cable Backpacks	40
Steel Tops	41
MicroLine	41
Aircraft Line	42
Dry Big Capacity Vacuums	43
Wet or Dry Vacuums	44
Wet Vacuums	45
Wet & Dry Vacuums	46
Carpet Extraction Vacuums	47-49
CleanCare Kits & Accessories	50-51







## ECO REFLO **30% Energy Saving Vacuums**

## Works Harder, Lasts Longer, Built Smarter

**EPR170** 

Made using

**25% Recycled Plastic** 

Made using ReFlo recycled plastic, reducing the use of virgin plastic wherever possible, whilst maintaining quality and durability in our products.

#### **ERP180**

Made using **45% Recycled Plastic** 



- High-efficiency, economical cleaning Sustainably engineered using a minimum
   45% recycled plastic, including accessories
   Carpets, hard-floors, cars, stairs, DIY
- Handy on-board tool storage
   Plugged cable

<b>8L</b> Capacity	<b>420W</b> Motor		6KG Weight
Power 230V / AC 50/60Hz		Cleaning Range 26.4m	
Power Cord 10m		Suct	ion H <sub>2</sub> 0 <b>1750mm</b>
340x360x360mm	(WxLxH)	Kit <b>A</b>	<b>SO</b> (see page 50)

\*45% / 25% represents the minimum use of recycled plastic content, including accessories.



"Made using the **highest** quality recycled plastic."

## EPR170 HEPA

Made using **25% Recycled Plastic** 



- Equipped with our highest efficiency motor yet
- Carpets, hard-floors, cars, stairs, DIY
   Extra reach 12.5m cable with trouble-free rewind and additional on-board tool storage
- Sustainably engineered using a minimum
- 25% recycled plastic, including accessories Plugged cable Emptying with no dust and no mess

7.2L Capacity	420W Motor		8.1KG Weight	
Power 230V / AC 5	Power 230V / AC 50/60Hz		Cleaning Range 31.4m	
Power Cord 12.5m		Suction H <sub>2</sub> 0 1750mm		
360x370x390mm (WxLxH)		Kit <b>AS</b>	<b>0</b> (see page 50)	



420W

Motor

Carpets, hard-floors, cars, stairs, DIY
 Certified HEPA13 filtration down to

Sustainably engineered using a minimum

25% recycled plastic, including accessories Plugged cable

0.3 microns at 99.95% efficiency

Emptying with no dust and no mess

7.2L

ertifia Filtration

8.3KG



1 Long-reach Hi-Vis 10m Cable 2 Powerful Cleaning on Carpets & Hard-floors 3 Cable Tidy & Carry Handle (ERP180)






## **Calculate Your Savings**

Find out how much money you could save every year by switching to an Eco ReFlo Vacuum by visiting numatic.com/ERP180 or scanning the QR Code



\*1 Potential savings provided for guidance only, actual savings may differ dependent on usage and energy cost. Based on using 4 hours per day, over 260 days and £0.245 kWh (as of 10/24 UK).



## PROLINE **Powerful Professional Cleaning**

The ProLine Vacuums are packed full of great features and provide powerful, professional cleaning technology from a high-efficiency, long-life motor in a choice of sizes.



#### **PRP180**

Made using Réf 45% Recycled Plastic



- Sustainably engineered using a minimum 45% recycled plastic, including accessories • Carpets, hard-floors, cars, stairs, DIY
- Handy on-board tool storage
- Professional accessory kit

Plugged	Sable

<b>8L</b> Capacity	620W Motor								6KG Weight
Power 230V / AC 50/60Hz		Cleani	ng Range <b>26.4m</b>						
Power Cord <b>10m</b>		Suction H <sub>2</sub> 0 2300mm							
340x360x360mm (	WxLxH)	Kit <b>AS</b>	<b>60</b> (see page 50)						

#### PSP180 / PSP240 / PSP370 **Cable Management** & Plugged Cable



- Carpets, hard-floors, cars, stairs, DIY
- Handy on-board tool storage rofessional accessory kit
- Plugged cable
- Bumper for wall and door protection (240/370 models)

8L / 9L / 15L Capacity		620W 6KG		G / 8KG / 9KG Weight	
Power 230V / AC 50/60Hz	F	Power Cord 10m	Cleaning Range <b>26.4m</b>		Suction H <sub>2</sub> 0 2300mm
340x360x360mm (180), 360x3	370x41	5mm (240), 360x370x510mm (370) <b>(WxLxH)</b>			Kit <b>ASO</b> (see page 50)

**PPR170\*** 

PPR170 HEPA\*

#### **PPR170\*** PPR170 HEPA\*

- Easy replacement plugged cable system
- Bumper for wall and door protection
   Compact and convenient
- Emptying with no dust and no mess
   Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency (PPR170H Only)

7.2L620WCapacityMotor		8.1KG / 8.3KG Weight
Power 230V / AC 50/60Hz		Cleaning Range <b>31.4m</b>
Power Cord 12.5m		Suction H <sub>2</sub> 0 2300mm
360x370x390mm <b>(WxLxH)</b>		Kit <b>AS0</b> (see page 50)



**Contractors'** 

Choice

- Easy replacement plugged cable system
- Bumper for wall and door protection
   Compact and convenient

- Emptying with no dust and no mess
   Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency (PPR170H Only)

à	7.2L620WCapacityMotor		8.1KG / 8.3KG Weight
	Power 230V / A	C 50/60Hz	Cleaning Range 31.4m
	Power Cord 12.5m		Suction H <sub>2</sub> 0 2300mm
	360x370x390mm (WxLxH)		Kit AS0 (see page 50)



## **NRV240**

**Contractors'** Choice

PPR240/ PPR370

**Contractors'** Choice



360x370x415mm (WxLxH)



Carpets, hard-floors, cars, stairs, DIY Bumper for wall and door protection
 Handy on-board tool storage

Emptying with no dust and no mess Plugged cable rewind 9L 620W 9KG 9L / 15L 620W Capacity Motor Weight Capacity Power 230V / AC 50/60Hz Cleaning Range 31.8m Power 230V / AC 50/60Hz Suction H<sub>4</sub>0 2300mm Power Cord 12.5m Power Cord 12.5m

Kit NS1 (see page 50)

360x370x415mm (WxLxH) 360x370x510mm (WxLxH)

Motor

Handy Trolley Design



Professional accessory kitBumper for wall and door protection Long cleaning reachEmptying with no dust and no mess



- Convenient, lift-off storage caddy
- Telescopic handle for ease of transit and storage
   Large rear wheels for ease of use on stairways
- Plugged cable rewind

9L / 15L620WCapacityMotor		12.3KG / 12.6KG Weight		
Power 230V / AC 50/60Hz		Cleaning Range <b>31.4m</b>		
Power Cord 12.5m		Suction H <sub>2</sub> 0 2300mm		
355x355x615mm (WxLxH) 355x355x655mm (WxLxH)		Kit <b>AS0</b> (see page 50)		

## **GUICK** Powerful, Cordless, Dust-Free

"All the benefits of **cordless cleaning** with **no dust**, **no mess, no fuss.**"

NUMATIC QUICK NQ100







Advanced user-comfort
 Interchangeable Lithium-Ion battery
 Dust-free emptying
 1-Year Warranty for commercial use



1 & 4 Motorised Brush Head2 Ergonomic Handle for Extra Comfort3 Handy Tools



 1L
 300W
 140mins Runtime
 3.2KG

 Pod Capacity
 Motor
 (70mins per battery)
 Weight

 Power 25.2V
 Recharge Time 2.5hrs (per battery)
 240x270x1220mm (WxLxH)
 Accessories (see page 50)

Bigger Capacity Compacts dust inside the pod for more capacity than most leading stick vacuums.



Figures displayed are with Brush Head off. Run and recharge times may vary dependent on ambient temperature and expected battery ageing.





## **Pro Cordless Network Increases Productivity**

NX300 Pro Cordless Network delivers professional level performance to a versatile and expanding range. Quicker, safer and more convenient, switching to Pro Cordless raises productivity levels, saving time and money.



## Why use NX300 Pro Cordless Network?





Lower

**More Time** to Clean

No Cable Maintenance Trips



Smart Safe Charge System Built-in battery status and health check safety system. The SoH (State of Health) system monitors multiple parameters ensuring battery safety.

**Integrated Handle** Quickly and easily hot-swap batteries across the Pro Cordless Network.



Note: Higher ambient temperatures may increase charge time.

Visit: numatic.com/NX300-pro-cordless



Lower Noise



Energy Cost



#### Maximum Energy Deployment Delivering power from cell to machine with minimum power loss via high-quality welded nickel power rails.

#### Integrated Heatsink Casing Quickly and efficiently cools the pack in use, optimising delivery of power.

Integrated Cooling Design Keeping cool allows maximum power delivery, the clever NX300 pack design eliminates air pockets acting as an insulation, transmitting heat directly out of the pack.

1hr 80% / 2hrs 100% Charge Time

Up to 2500 Charge Cycles





Tackle hard-to-reach areas; clean, scrub and dry floors with the all-in-one solution. With precision spray; scrub, extract and dry heavily soiled areas, emergency spills, corners, edges, and around obstacles.

Eliminate the risk of slips, trips and falls with no cable, perfect for all-hours cleaning in high-traffic areas.






Perfect for hard-to-reach areas Leave floors clean, dry and slip-free
 Tackle wet floors and emergency spills 1-hour fast charge
 NX300 Pro Cordless Network

<b>6L</b> Clean Capacity	<b>9L</b> Recovery Capacity	38 MINS Runtime 36V Lithium Battery		
Max Airflow 49L/sec		Motor 400W		
Flow Rate 350ml/min		Recharge Time 1hr 80% / 2hr 100%		
CTB Weight (with Battery) 9.7kg		X-tract Weight (with Trigger Bend) 2kg		
480x360x375mm (WxLxH)				

1 Pick-up Floor Tool 2 & 3 X-tract Scrub Brush 4 Extraction Tool








## **Total Performance** for Tough to Clean

"The Ultimate All-in-One: Spray, Scrub and Extract with X-tract Tool."



## WET **Cordless, Clean, Safe**





## DRY **Cordless Vacuums**



High-performance digital motor
 Part of NX300 Pro Cordless Network
 80mins runtime and 1-hour fast charge



NBV240NX /

 High-performance digital motor
 Part of NX300 Pro Cordless Network
 80mins runtime and 1-hour fast charge Bumper for wall and door protection
 Certified HEPA14 filtration down to 0.3 microns at 99.995% efficiency (HEPA model only)

<b>8L</b> Capacity	350W Motor				<b>9L</b> Capacity	<b>350W</b> Motor
Power Lithium Batt	ery <b>36V</b>	Runtime Hi 50 / Lo 80mins			Power Lithium Battery 36	
Recharge Time 1hr 80% / 2hrs 100%		Suction H <sub>2</sub> 0 1896mm			Recharg 1hr 80% / 2	
340x340x340mm (	WxLxH)	Kit AS55 (see page 50)			360x340x415	mm (WxLxH)



1 Easy Battery Change 2 Convenient Lift-off Storage Caddy

Quick Spill Clean-Ups
Emergency Leaks

Entrance Lobbies

WBV370NX / WBV470NX

WBV470NX

Perfect for high-traffic areas All-hours cleaning
 1-hour fast charge
 NX300 Pro Cordless Network

Motor 400W

Runtime 40mins

Max Pump Pressure 145mBar

Suction H<sub>2</sub>0 2200mm

9L/20L

Wet Capacity

Washrooms & Toilets





1 MultiFlo Wet Floor Tool 2 Easy Battery Change 3 Battery Level Indicator





15L/27L

Dry Capacity

9.3/11.9KG

Weight

Power Lithium Battery 36V

Max Airflow 49L/Sec

Recharge Time 1hr 80% / 2hr 100%

Kit A11/85 (see page 51)

36	-







8.1/8.5KG

Weight 240NX/NXH

Runtime Hi 50 / Lo 80mins Suction H<sub>2</sub>0 1896mm

Kit AS55 (see page 50)

- High-performance digital motor
   Part of NX300 Pro Cordless Network
   80mins runtime and 1-hour fast charge
   Convenient lift-off storage caddy
   Telescopic handle for ease of transit and storage

9L Capacity	35	<b>OW</b> otor	10.5KG Weight	
Power Lithium Batt	tery <b>36V</b>	Runtime	Hi 50 / Lo 80mins	
Recharge Tin 1hr 80% / 2hrs		Suction H <sub>2</sub> 0 1896mm		
400x450x615mm <b>(</b>	WxLxH)	Kit <b>AS</b>	<b>55</b> (see page 50)	

RSU150NX

## SANITISE **High-Pressure Misting Disinfection System**

The Sanitise Pro Sprayers deliver 99.999%\* efficiency in inactivating and destroying pathogens.



## RUCSAC **Ergonomic Harness**







Ergonomically designed with easy-adjust, posture-correcting harness and handy tool storage.







Recharge Time Suction H<sub>2</sub>0 1896mn 1hr 80% / 2hrs 100%

Kit AAT30E (see page 51)


330x330x570mm (WxLxH)



1 & 2 Precision High-Pressure Misting System 3 Stay Cleaning for Longer with 6hrs Runtime



3



High-performance pump and large capacity for extended use

<b>5L</b> Capacity	6HRS Runtime				<b>13KG</b> Weight
Optimum Spray Distance / Max <b>1-2m</b>			Max Pump Pressure 15Bar / 217PSI		
Droplet Size 60-70Microns		Tank E	mpty <b>31mins</b>		
Flow 140ml/min		Hose	Length 1.5m		
Rechar	ge Time <b>1hr 8</b>	30% / 2hrs	100%		
330x330x570mm (WxLxH)					

Whilst we recommend using TECcare® Control, the Sanitise Pro System is fully compatible with disinfectant solutions based on Quaternary Ammonium Salts or Hypochlorous Acid using appropriate dilution levels. Use of other chemical / disinfectant solutions may invalidate warranty.\*

\*99.999% effective in inactivating and destroying pathogens when using complete Sanitise Pro System

System comprises RSU150NX Mist Unit applying TECcare® Control Disinfectant Solution

Please note: Do not spray electrical items such as computers. monitors or electrical sockets at close distances.







- 1 Adjustable Cushioned Shoulder Straps
- 2 Adjustable Cushioned Waist Strap
- 3 Breathable Mesh Back-Support System
- 4 Supportive Adjustable Chest Strap



# **MAINS CABLE**

## **Backpacks**

Compact, comfortable and convenient, the RSV150 goes wherever you go, making it the perfect cleaning solution for tight and awkward cleaning.



**RSV150 / RSV150 HEPA** 



 Compact, comfortable and convenient design
 Generous 5L capacity
 Extra-long 15.0m cable
 User comfort with ergonomic harness Emptying with no dust and no mess
 Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency (HEPA model only)

5L Capacity	620W Motor		<b>7.4/7.8KG</b> Weight 150/150H		
Power 230V / A	AC 50/60Hz	Cleaning Range 36.4m			
Power Cor	rd <b>15m</b>	Suction H <sub>2</sub> 0 2300mm			
330x330x570mm (WxLxH)			it <b>AAT30E</b> (see page 51)		



Available on a standard or HEPA model 1 Breathable Mesh Panel 2 Integrated Hand Control 3 Adjustable Cushioned Shoulder Straps





## **Steel Tops**

NQS250 / NQS250B

ALL-STEEL

Featuring an all-steel head, the Steel Tops range not only provides exceptional strength, it's also quiet and efficient.

## NVQ240 / NVQ370 / NVQ380



 All-steel construction, tough and hard-wearing
 Blower facility and diffuser attachment (NQS250B) Quick and easy cable replacement Plugged cable

<b>9L</b> Capacity	<b>78</b> Mo	<b>DW</b> otor	<b>10KG</b> Weight
Power 230V / AC 5	i0/60 Hz	Cleanir	ng Range <b>26.4m</b>
Power Cord 1	0m	Suctio	n H₂0 <b>2350mm</b>
340x340x395mm (WxLxH)		Kit <b>AS</b>	<b>0</b> (see page 50)

 Heavy-duty, all-steel power head
 Quick and easy cable replacement Plugged cable Tough Structofoam drum construction (NVQ380 Only)

<b>9L / 15L / 15L</b> Capacity				10KG / 11.35KG Weight	
Power 230V / AC 50/60Hz	F	Power Cord <b>10m</b> Cleaning Range <b>26.4m</b>		aning Range <b>26.4m</b>	Suction H <sub>2</sub> 0 2300mm
360x370x415mm (240), 355x355x485mm (370), 355x355x485mm (380) (WxLxH)					Kit <b>ASO</b> (see page 50)

## **MicroLine Advanced Filtration**



**4**0



# AIRCRAFT

The Pro Harness offers enhanced operator comfort, increasing cleaning efficiency, capability and productivity, without any uncomfortable distractions.

**RSAV130** 



 Aircraft specification
 User comfort with ergonomically designed harness High-efficiency filtration


<b>6L</b> Capacity		<b>OW</b> otor	7.3KG Weight	
Power 110V / AC	400Hz	Cleaning Range 43.2m		
Power Cord 18.2m		Suction H <sub>2</sub> 0 2400mm		
250x360x440mm (WxLxH)		Kit <b>A30A</b> (see page 51)		



CRAFT

Т

4





1 High-efficiency Hard Floor Tool 2 Easily Remove Bags & Filters

ALL-STEEL ารณีใจ

 All-steel construction, tough and hard-wearing
 Patented MicroTec noise reduction system Aircraft specification Plugged cable

<b>9L</b> Capacity	960W Motor		<b>10.6KG</b> Weight		
Power 110V / AC	400Hz	Cleaning Range 43.2m			
Power Cord 18	.2m	Suction H <sub>2</sub> 0 2500mm			
340x340x395mm <b>(</b>	WxLxH)	Kit <b>A</b>	<b>S4</b> (see page 50)		

 Heavy-duty, all-steel power head
 Patented MicroTec noise reduction system Aircraft specification Plugged cable

AVQ380

X

Tough Structofoam

	<b>15L</b> Capacity	960 Mc	<b>DW</b> otor	11.8KG Weight	
	Power 110V / AC	400Hz	Cleaning Range 43.2m		
	Power Cord 18	.2m	Suction H <sub>2</sub> 0 2500mm		
	355x355x485mm <b>(</b>	WxLxH)	Kit AS	<b>54</b> (see page 50)	

mile

## DRY **Big Capacity**

Power and performance in industrial terms needs to be matched to long-life, reliability and user satisfaction.



	960W Motor (NVQ)		960Wx2 Motor (NVDQ)		<b>40L</b> Capacity	<b>960</b> Motor (
ower 230V / AC 50/6	i0 Hz	Clea	aning Range <b>26.8m</b>		Power 230V / AC	50/60 Hz
Weight 16.5kg (NVQ) Wei		ght <b>18.7kg</b> (NVDQ)		Weight 25.2kg (NVQ)		
Power Cord 10m Suc		ction H <sub>2</sub> 0 <b>2300mm</b>		Power Cord	10m	
15x415x645mm (WxLxH) Kit BS2 (see pa		BS2 (see page 51)		490x800x880mm	n (WxLxH)	

## **Structofoam**

Cellular structure provides

- Incredibly tough and long-lasting
- Hard-wearing and chemical-resistant
- Exceptional strength-to-weight ratio
- Lightweight and ergonomic structure

42






1 Large Rear Wheels for Excellent Mobility 2 High-efficiency ProFlo Dry Floor Tool









## WET or DRY

## Professional power and performance in either mode.

- Switch Kits for Wet or Dry
- Built to Last
- Powerful & Professional Performance






Wet or dry
 Compact and easy to store

- Lightweight with easy carry handle
   Convenient emptying

Wet or dry
Compact and capable
Convenient folding transit handle
Large rear wheels for ease of movement

15L/ 9L Capacity Dry/Wet	<b>1000W</b> Motor	9KG Weight			<b>DOOW</b> Motor	9.6KG Weight
Power 230V / AC 50/60H	z Cleaning	g Range <b>26.8m</b>	Power 230V / AC 50/60Hz		Cleanin	g Range <b>26.8m</b>
Power Cord 10m	Suction	H <sub>2</sub> 0 <b>2400mm</b>	Power Cord 10m		Suction	n H <sub>2</sub> 0 <b>2400mm</b>
360x370x510mm (WxLxF	I) Kit A11	(see page 51)	360x370x710mm (WxL	.xH)	Kit <b>A1</b>	(see page 51)





Wet or dry Easy emptying Heavy-duty Structofoam construction Convenient cable replacement system

23L/15L Capacity Dry/Wet		<b>00W</b> or (WV)	1000Wx2 Motor (WVD)
Power 230V / AC 50/60Hz		Cleaning Range 26.8m	
Weight 16.3kg (WV)		Weight 18.5kg (WVD)	
Power Cord 10m		Suction H <sub>2</sub> 0 2400mm	
415x415x645mm (WxLxH)		Kit <b>B</b>	<b>S8</b> (see page 51)



Wet or dry Easy empty tip handle Heavy-duty Structofoam construction
 Convenient cable replacement system

40L/32L Capacity Dry/Wet	1000W Motor (WV)		1000Wx2 Motor (WVD)
Power 230V / AC 50/60Hz		Cleaning Range 26.8m	
Weight 25.2kg (WV)		Weight 28kg (WVD)	
Power Cord 10m		Suction H <sub>2</sub> 0 2400mm	
490x800x880mm (WxLxH)		Kit <b>B</b>	<b>S8</b> (see page 51)



## Enhanced with increased efficiency in wet pick-up.

- Unrivalled Performance
- Huge Capacity
- Easy, Clean & Safe Emptying







Power 230V / Power Cord 10m Cleaning Range 26.8m Suction H<sub>2</sub>0 2400mm

70L

Capacity

684x785x935mm (WxLxH) 1 Auto Pump for Continuous Water Extraction

## **Auto Empty**

**Continuous pumping operation** precisely where you need it.

Auto Pump (AP) enables for continuous pumping operations and maximum cleaning productivity.



Image for illustration purposes only.

44

WV570

### WVD2000DH / WVD2000AP

Wet use onlyEasy emptying with rear dump hose Heavy-duty Structofoam construction
 Rear Auto Pump for continuous water extraction

(AP model only) Convenient cable replacement system

1000W Motor (WV)		1000Wx2 Motor (WVD)	
ower 230V / AC 50/60Hz			
10m	Weight 31.5kg (WV1800DH)		
26.8m	Weight 34kg (WVD1800DH)		
00mm	Weight 40.4kg (WVD1800AP)		
(WxLxH)	Kit	BS7 (see page 51)	

2 High-efficiency ProFlo Wet Floor Tool



- Wet use only
   Robust steel chassis for ease of transit
   Easy emptying with rear dump hose
- Heavy-duty Structofoam head construction
   Convenient cable replacement system
- Rear Auto Pump for continuous water extraction
- (AP model only)

<b>70L</b> Capacity	<b>1000Wx2</b> Motor		
Power 230V / AC 50/60Hz	Weight 28.9kg (WVD2000DH)		
Power Cord 10m	Weight 36.4kg (WVD2000AP)		
Cleaning Range 26.8m	Suction H <sub>2</sub> 0 2400mm		
640x530x970mm <b>(WxLxH)</b>	Kit <b>BS7</b> (see page 51)		

## WET & DRY

## Effortlessly switch from dry to wet with no hassle.

- Wet & Dry System
- High-efficiency
- A Tool for Every Job

The unique high-efficiency, dual washable filter system in the CV range enables the user to switch from dry to wet pick-up without the hassle of changing filters or kits.

CV570/ **CVD570** 





 Wet and dry pick-up
 Washable filter system Heavy-duty Structofoam construction

<b>13L</b> Capacity	1000W Motor (CV)		1000Wx2 Motor (CVD)	
Power 230V / AC 50/60Hz		Cleaning Range 26.8m		
Power Cord 10m		Weight 16.3kg (CV)		
Suction H <sub>2</sub> 0 2400mm		Weight 18.5kg (CVD)		
415x415x645mm (WxLxH)		Kit BS8 (see page 51)		



Wet and dry pick-up

Capacity	iviotor (	(UV)	NOTOR (CVD)		
Power 230V / AC 50/60Hz		Cleaning Range 26.8m			
Power Cord 10m		W	Weight 25.2kg (CV)		
Suction H <sub>2</sub> 0 2400mm		Weight 27.7kg (CVD)			
490x800x880mm (WxLxH)		Kit	BS8 (see page 51)		





2 Clean, Dry Floors Again & Again 3 Wet & Dry System 4 Easy Emptying



**EXTRACTION** 

## The All-Purpose 4-in-1 carpet and upholstery cleaners.

- Ready for Anything
- Powerful Cleaning Results
- Tank Within a Tank

The compact CleanTecs provide the combination of a PowerFlo liquid pump supply and efficient wet pick-up facility, all incorporated in one unit.

CT370

CT470





Wet, spray extraction carpet cleaning, upholstery cleaning and car valeting Compact and easy to store Convenient emptying

 Wet, spray extraction carpet cleaning, upholstery cleaning and car valeting Compact and easy to store Large rear wheels and folding handle for ease of transit

15L/9L Capacity Dry/Wet					27L/20L Capacity Dry/Wet		
Power 230V / AC 50/60Hz Cleaning		Range 26.8m Pow		Power 230V / AC 50/60	Hz	ĺ	
Power Cord 10m		Suction	H <sub>2</sub> 0 <b>2400mm</b>		Power Cord 10m		ĺ
360x370x510mm (WxLxH) Kit A40A (see page 51)			360x370x710mm (WxLx	H)	ĺ		









Ergonomic convenient folding handle, large rear wheels and directional castors ease stability during transit.



1000W Motor		<b>14.4KG</b> Weight		
z	Cleaning	Range <b>26.8m</b>		
	Suction	H <sub>2</sub> 0 <b>2400mm</b>		
)	Kit <b>A40A</b> (see page 51)			

1 Upholstery Extraction Tool 2 Fishtail Extraction Tool 3 Convenient Carry Handle





# **EXTRACTION**

## The All-Purpose 4-in-1 carpet and upholstery cleaners.

- Ready for Anything
- Powerful Cleaning Results
- Tank Within a Tank

#### CT570 / CTD570



 Wet, spray extraction carpet cleaning, upholstery cleaning and car valeting
 Heavy-duty Structofoam construction
 Convenient cable replacement system


23L/15L Capacity Dry/Wet		<b>00W</b> or (CT)	1000Wx2 Motor (CTD)	
Power 230V / AC 50/60Hz		Cleaning Range 26.8m		
Power Cord 10m		Weight 18.9kg (CT)		
Suction H <sub>2</sub> 0 2400mm		Weight 20kg (CTD)		
415x415x645mm (WxLxH)		Kit <b>A</b> 4	11A (see page 51)	





 Wet, spray extraction carpet cleaning, upholstery cleaning and car valeting
 Easy emptying with tip handle
 Heavy-duty Structofoam construction

40L/32L Capacity Dry/Wet		<b>00W</b> or (CT)	1000Wx2 Motor (CTD)	
Power 230V / AC 50/60Hz		Cleaning Range 26.8m		
Power Cord 10m		Weight 25.2kg (CT)		
Suction H <sub>2</sub> 0 2400mm		Weight 27.7kg (CTD)		
490x800x880mm (WxLxH)		Kit A41A (see page 51)		



"The PowerFlo pump system injects the cleaning solution deep into the carpets in a continuous deep cleaning cycle."

1 Ideal for Car Valeting 2 Upholstery Extraction Tool







## TriJet Carpet Cleaning

- <sup>D</sup> Uniform fluid distribution
- Easy pull-back movement
- Heavy-duty, Aluminium construction

## NHL15




Carpet cleaning and upholstery / spot cleaning tools
 Uniform fluid distribution with TriJet carpet extraction
 Hi-Lo system for pressure when you need it

<b>15L</b> Capacity	<b>100</b> Mot		<b>35KG</b> Weight	
Power 230V / AC 50/60Hz		Cleaning Range 26.8m		
Power Cord	10m	Suction H <sub>2</sub> 0 2400mm		
435x425x725mn	n (WxLxH)	Kit BS	27 (see page 51)	



1 & 2 High-performance, TriJet Carpet Extraction Tool 3 Upholstery & Spot Cleaning Extraction Tool

# **CLEANCARE KITS**



**HEPAFLO FILTER BAGS** 

#### NUMATIC QUICK BOXED ACCESSORIES



## **NX300**

NX3	00 ACCESSORIES		AS5	5 - 916028	AS4	- 900961
913686 911334 910820	NX300 Battery NX300 Charging Dock NX300 Dual Charging Dock		601052	601008	601052	91411
NX300 Ma	ains Cable for Charging Docks				601008 601008	
912365	UK			601141	601008	
912361	EURO	NX300 Battery		914413		601141 601142
912364	SWISS	NASOU Ballery	912358	601142		601430
912360	AUS/NZ			601142 601144		601145 601144
912362	USA			601146 601146		601144
912363	S.AFRICA			601145		601146
913041	JPN		914413	2m Parallel Hose	601008	Stainless Steel Extension Tube (x2)
NX300 D with Main	ual Charging Dock	NX300 Charging Dock	601008	Stainless Steel Extension Tube (x2)	601052	
915748	UK		601052	Stainless Steel Tube Bend with NPC Volume Control	914411	2.2m FloMax Conical Hose
915749	EURO		912358	280mm ProFlo Combination Floor Tool	601430	290mm FreeFlo Floor Tool
915750	SWISS		601141	Double Taper Hose / Tool Adaptor	601141	Double Taper Hose / Tool Adaptor
915751	AUS/NZ		601142	240mm Crevice Tool	601142	240mm Crevice Tool
915752	USA		601144	65mm Soft Dusting Brush	601144	65mm Soft Dusting Brush
915753	S.AFRICA	NX300 Dual Charging Dock	601145	150mm Upholstery Tool	601145	150mm Upholstery Tool
915754	JPN		601146	150mm Slide-on Brush for Upholstery Tool	601146	150mm Slide-on Brush for Upholstery Tool

SPECIALISED KITS

#### SPECIALISED KITS A30A - 607817 AAT30E - 919897 91519 601052 601008 902923 914979 1.2m RSAV Threaded Hose 914980 1.2m RSB / RSV150 Hose 601008 Stainless Steel Extension Tube (x2) 915195 Aluminium Tube Bend with NPC Volume Control 601052 Stainless Steel Tube Bend with NPC Volume Control 914759 Aluminium Telescopic Wand 902071 300mm Combination Floor Tool 902923 270mm ProFlo Combination Floor Tool 601141 Double Taper Hose / Tool Adaptor

## WET KITS

601144 65mm Soft Dusting Brush





## **EXTRACTION KITS**











# ProCare

Advanced, professional cleaning for the collection and control of dust and hazardous substances.

## Contents

NuTec Industrial	54
Anti-Static	54
Dustcare	54
M-Class	55
TradeLine 56	6-57, 61
H-Class	58-59
ProCare Kits	60

# **INDUSTRIAL VACUUMS**

## **NuTec Industrial**

**NTD750** 

NTD2003





- TwinFlo 2-motor Structofoam power head
   Industrial vacuum suitable for many applications
- including; boiler cleaning, floor cleaning, metalworking, dirt, dust or debris, and more

				_	
<b>35L</b> Capacity	<b>1000</b> Mo		2 20.8KG Weight		(
Power 230V / AC	50/60Hz	Cleaning Range 26.8m			Pc
Power Cord	10m	Suctio	n H <sub>2</sub> 0 <b>2400mm</b>		
510x510x960mm	(WxLxH)	Kit <b>BS</b>	<b>5</b> (see page 60)		560

- Big capacity machine with TwinFlo 2-motor Structofoam power head
   Stainless Steel container with heavy-duty chassis

x2	20.8KG Weight	60L Capacity	1000 Mo		30.2KG Weight	80L Capacity	<b>1000</b>	
Cleanir	ng Range <b>26.8m</b>	Power 230V / AC	C 50/60Hz	Cleanir	ng Range <b>26.8m</b>	Power 230V / AC	50/60Hz	ĺ
Suctio	n H <sub>2</sub> 0 <b>2400mm</b>	Power Cord	10m	Suctio	n H <sub>2</sub> 0 <b>2400mm</b>	Power Cord 12	2.5m	ĺ
Kit <b>BS</b>	<b>5</b> (see page 60)	560x660x1145mr	m (WxLxH)	Kit <b>BS</b>	<b>5</b> (see page 60)	560x660x1075mm	(WxLxH)	

**Dustcare** 

NED570

## **Anti-Static**



H13 (EN1822)

 Full anti-static specification in machine and accessories The non-conductive specification continually discharges the static build up during use

<b>35L</b> Capacity	960W Motor		<b>23KG</b> Weight	
Power 230V / AC	ver 230V / AC 50/60Hz		leaning Range <b>25.6m</b>	
Power Cord 8.5m		Suction	H <sub>2</sub> 0 <b>2500mm</b>	
510x510x960mm (WxLxH)		Kit <b>HAS</b>	<b>S</b> (see page 60)	

Low flow and full bag indicator High-efficiency internal AirFlo system

<b>(G</b> ght		<b>23L</b> Capacity	620Wx2 Motor		20KG Weight
i.6m	ſ	Power 230V / AC 50/60Hz		Clea	ning Range <b>26.8m</b>
nm		Power Cord 10m		Suc	tion H <sub>2</sub> 0 <b>2300mm</b>
60)		415x415x645mm	(WxLxH)	Kit	<b>3S5</b> (see page 60)

NES900A / NED900/A Power Outlet Socket (Optional)

Triplex power head in all-steel construction

Mounted on an all-steel heavy-duty chassis, easily demounted for emptying

1000Wx3

Motor

36KG

Weight

Cleaning Range 31.8m

Suction H<sub>2</sub>0 2400mm

Kit BS5 (see page 60)

Optional Auto Operation Power Outlet Socket

Low flow and full bag indicator High-efficiency internal AirFlo system 40L 620W 620Wx2

Capacity	Motor (NES)		Motor (NED)	
Power Outlet Optional (NES900		Weight 25/29kg (NES/NED)		
Power 230V / AC	C 50/60Hz	Cleaning Range 26.8m		
Power Cord	10m	Suction H <sub>2</sub> 0 2300mm		
490x800x880mm (WxLxH)		Kit B	<b>S5</b> (see page 60)	

## **M-Class MES570** MES570A

**MED570** 


M

MED570A .....



23L Capacity	620 Motor		620Wx2 Motor (MED)		<b>40L</b> Capacity	620 Motor	_
Power Outlet S	Socket <b>Optic</b>	onal (MES570A/MED570A)			Power Outlet S	Socket <b>Opti</b>	21
Weight 19.2/2 (MES/ME			Weight <b>19.3/20.9kg</b> (MES(A)/MED(A)		Weight 25.1/2 (MES/MEI	•	
Power 230V / AC	50/60Hz	Cleaning Range 30m		1	Power 230V / AC	50/60Hz	
Power Cord	Power Cord 10m		Suction H <sub>2</sub> 0 2300mm		Power Cord	10m	
415x415x780mm	n (WxLxH)	Kit BS5 (see page 60)			490x800x945mm	(WxLxH)	

Veiaht 25.1/27.6kg (MES/MED) er 230V / AC 50/60Hz Power Cord 10m x800x945mm (WxLxH)






Around 12,000 workers die from illnesses caused by inhaling hazardous dust particles each year in the UK. Construction workers are at higher risk from the dust particles they breathe in. Protect DON'T Neglect.

54

1 Low Flow Indicator 2 Plugged Replacement 3 Power Outlet Socket



W MES)	620Wx2 Motor (MED)				
nal (MES900A/MED900A)					
Weight <b>25.2/27.7kg</b> (MES(A)/MED(A)					
Cleaning Range 30m					
Suction H <sub>2</sub> 0 2300mm					
Kit BS5 (see page 60)					









## **COMPLIANCE Meets Clean**

## Delivering outstanding performance, value and reliability with M-Class filtration.

The NEW TRM240 joins the TradeLine range, offering M-Class compliant cleaning in a compact, affordable design. It's ideal for construction and industrial environments with medium hazard dust such as soft/hardwood, silica, masonry, paint, plastic, ceramic, brick dust, and concrete. This durable Numatic vacuum ensures high-performance and user-safety.



Watch the full video here:



**TRM240** 

M

Certified



1 Plugged Cable for Easy Replacement (TRM240P)



matte

Lightweight and easy to use Powerful and efficient Washable H14 filter

Power 230V / AC 50/60Hz

Power Cord 12.5m

9L

Capacity

M-Class Compliant - IEC/EN 60335-2-69 Lightweight and easy to use
 Powerful and efficient
 Washable H14 filter 10m hi-vis cable

9L 620W 8.1KG Capacity Motor Weight Power 230V / AC 50/60Hz Cleaning Range 32m Power Cord 10m Suction H<sub>2</sub>0 2300mm 360x360x390mm (WxLxH) Kit AS76 (see page 60)

**3 Levels of Filtration** 

360x360x390mm (WxLxH) \*Note: Not standard UK model, please contact your Numatic representative for information

620

Mo

## Certified HEPA13 Filtration

HEPA14 Filter Cartridge

Certified HEPA14 filtration down to 0.3 microns at 99.995% efficiency. Our most advanced filtration in the Numatic vacuum series.

**High-efficiency TriTex Filter** Traps fine dust within its high-efficiency, triple-layer membrane.

### **Triple-layer HepaFlo Filter Bag**

3-layers of high-efficiency filter material and unique self-seal tab, allowing for easy, clean and hygienic emptying.

3 10m Hi-Vis Cable

4 Easy, Clean & Safe Emptying 5 On-board Tool Storage

56

TRADE

**Built for the** 

**Tough Stuff** 

Compact, tough, and

combine a specialist

TradeLine 390 vacuums

on-tool extractor with a big

clean-up machine to cover

almost any application.

highly mobile, the





M-Class Compliant - IEC/EN 60335-2-69

Plugged easy cable replacement system

<b>)W</b> tor	8.2KG Weight			
Cleaning Range 37m				
Suction H <sub>2</sub> 0 2300mm				
Kit AS10 (see page 60)				



L-Class Compliant - IEC/EN 60335-2-69 Huge cleaning reach, with 10m cable and 2.8m hose
 Large rear wheels for ease of transit Tough, durable and built to last

**TEL390S** 





- M-Class Compliant IEC/EN 60335-2-69
- Huge cleaning reach, with 10m cable and 2.8m hose
   Large rear wheels and extending pull handle
- for ease of transit
- 2200W Automatic power take-off

18L Capacity	620W Motor		<b>14.3KG</b> Weight	
Power 230V / AC 5	ower 230V / AC 50/60Hz		Cleaning Range 28m	
Power Cord 10	Power Cord 10.0m		n H <sub>2</sub> 0 <b>2500mm</b>	
400x450x1010mm (WxLxH)		Kit <b>AS</b>	10 (see page 60)	



# H-CLASS

H-Class equipment is the legal requirement when working with high-risk, non-explosive, hazardous dusts and materials, including asbestos.

HZ370

HZ390S / L



 H-Class Compliant - IEC/EN 60335-2-69
 TriTex filtration and HepaFlo filter bags Compact and ready to go
 Powerful, long-life 960W motor

15L Capacity	960W Motor		<b>11KG</b> Weight
Power 230V / AC	50/60Hz	Cleaning Range 26.8m	
Power Cord 1	Power Cord 10m		H <sub>2</sub> 0 <b>2500mm</b>
355x355x570mm (WxLxH)		Kit <b>AA1</b>	<b>8</b> (see page 60)





H-Class Compliant - IEC/EN 60335-2-69 All-steel head construction Plugged easy cable replacement system

<b>23L</b> Capacity	960W Motor (HZ)		960Wx2 Motor (HZD)			
P	ower 230V / AC 50/60Hz					
Power Cord	10m Suction H <sub>2</sub> 0 2500mr			Cord <b>10m</b> Suction H <sub>2</sub> 0 <b>250</b>		on H <sub>2</sub> 0 <b>2500mm</b>
HZ570			HZD570			
Weight 18	kg	Weight 20kg				
Cleaning Range	26.8m	Cleaning Range 26.8n				
Kit <b>AA19</b> (see p	age 54)	Kit BB19 (see page 60)				
4	415x415x746mm (WxLxH)					



 H-Class Compliant - IEC/EN 60335-2-69
 TriTex filtration and HepaFlo filter bags Compact and ready to go
 Large rear wheels and pull handle

<b>18L</b> Capacity	960W Motor	<b>11.2/12.6KG</b> Weight (S/L)		
Power 230V / AC 50/60Hz				
Power Cord 10m		Cleaning Range 26.8m		
Suction H <sub>2</sub> 0 2500mm		Kit AA18 (see page 60)		
400x450x600mm (S) (WxLxH)		400x450x1010mm (L) (WxLxH)		




- H-Class Compliant - IEC/EN 60335-2-69 All-steel head construction Plugged easy cable replacement system

<b>40L</b> Capacity	960W Motor (HZ)		960Wx2 Motor (HZD)
Po	ower 230V /	AC 50/6	DHz
Power Cord 1	Power Cord 10m Suction H <sub>2</sub> 0 2500mm		ion H <sub>2</sub> 0 <b>2500mm</b>
HZ900		HZD900	
Weight 28kg		Weight 30kg	
Cleaning Range 26.8m		Cleaning Range 26.8m	
Kit <b>AA20</b> (see page 54)		Kit BB20 (see page 60)	
490x800x880mm (WxLxH)			xH)









3 Stainless Steel Gulper / Scraper Tool

Designed, engineered and built with the tradesman in mind, the HZC390 offers a safe and convenient solution for those whose work brings them into infrequent contact with hazardous dusts and materials.

HZC390S / HZC390L

Compact and ready to go







within a sealed, HEPA13

B H-Class Compliant - IEC/EN 60335-2-69 Disposable filter cartridge
 Quick, simple and safe emptying

<b>13L</b> Capacity	1000W Motor	<b>12.2/13KG</b> Weight (S/L)
	Power 230V /	AC 50/60Hz
Power Cord 10m		Cleaning Range 26.8m
Suction H	20 <b>2500mm</b>	Kit AA16 (see page 60)
100-150-000-		400-450-4010-mm (I) <b>Alfel</b> al

00x450x600mm (S) (WxLxH) 400x450x1010mm (L) (WxLxH)



1 Easy, Clean & Safe Emptying 2 All-terrain Large Rear Wheels 4 Transit Safety Cap

58



Watch the full video here:



1 All-Steel Head Heavy-duty power head.

2 HZC Disposable Cartridge HEPA H13 Filter conforms to EN1822. Fits all HZC machines.

#### **3** Robust Drum Tough drum construction with all-terrain large rear wheels for stairs and uneven surfaces.

## HZC DISPOSABLE CARTRIDGE



<b>13L</b> Capacity	<b>2.9KG</b> Weight		
HEPA H13 Filter Conforms to EN1822			
330x330x390mm (WxLxH)	Fits all HZC machines		

1 Easy, Clean & Safe Cartridge Disposal

# **PROCARE KITS**



## AS76 - 919148

AA19 - 902757 / AA20 -

601144

915907 2.2m Parallel Hose (AA19 HZ570)

601142 240mm Crevice Tool

602159 38 / 32mm Adaptor

601144 65mm Soft Dusting Brush

604116 Primary PermaTex Filter

908229 Roll of 10 x 120L Waste Bags 601141 Double Taper Hose / Tool Adaptor

914413 2.4m NuFlex Threaded Hose (AA20 HZ900)

602161 152mm Rubber Brush with Soft Bristles

501142

604017/604019

908229

604017 10 x (NVM-3BH) HepaFlo Dust Bags (AA19 HZ570)

604019 10 x (NVM-4BH) HepaFlo Dust Bags (AA20 HZ900)

601917 280mm Stainless Steel Gulper / Scraper Tool (32mm)

60/1116

601917

602159



	001000			
	601052	Stainless Steel Tube Bend with NPC Volume Control	BB5	- 607335
914762	900918	300mm MultiFlo Dry Brush Tool		
	914762	2.8m Parallel Hose	602919	
1144	601176	Multi Size Power Tool Adaptor		7
601141	601144	65mm Soft Dusting Brush	602920	
	601141	Double Taper Hose / Tool Adaptor		
601142	601142	240mm Crevice Tool	602920	
- 902758	BB1	9 - 607349 / BB20 - 607350	ě	602162 602381
- 902798	DDI	9 ° 007349 / BB20 ° 007350	602102	2.4m NuFlex Threaded Hose
			602919	Stainless Steel Tube Bend
	602	160	602920	Stainless Steel Extension Tube (x2)
915907 /	002	602923	602381	400mm ProFlo Brush Tool
914413			602162	152mm Rubber Brush with Stiff Bris



604019	10 x (NVM-4BH) HepaFlo Dust Bags (BB20 HZD900)	Ι.
602161	152mm Rubber Brush with Soft Bristles	
604144	65mm Soft Dusting Brush	
908229	Roll of 10 x 120L Waste Bags	
602160	305mm ABS Crevice Tool	
602923	280mm Stainless Steel Gulper / Scraper Tool (38mm)	
602159	38 / 32mm Adaptor	
	<b></b>	· í

602381	400mm ProFlo Brush Tool		
602162	152mm Rubber Brush with Stiff Bristles		
HAS	607661		
602929			
602929			
602919	602111		
	602923		
× .			
602125	908229		
002125	004013		
	602112		
9	09185		
602111	2 6m ATX Hose		
602112	400mm ATX Widetrack Brush Tool		
602919	Stainless Steel Tube Bend		
602929	ATX Stainless Steel Extension Tube (x2)		
909185	Conductive Dusting Brush		
602125	130mm ATX Conductive Rubber Gulper Tool		
604019			
	10 x (NVB-4BH) HepaFlo Dust Bags		
602923	280mm Stainless Steel Gulper / Scraper Tool (38mm)		

908229 Roll of 10 x 120L Waste Bags

601176 Multi Size Power Tool Adaptor



TradeLine 390 on-tool extraction in use. (See page 57 for product information)

Compact, tough and highly mobile, the TradeLine 390 vacuums combine a specialist on-tool extractor with a big clean-up machine.



# FloorCare

Providing professional cleaning results in even the most demanding environments, with innovative, reliable and effective floorcare solutions.

## Contents


Hurricane / NuSpeed Range	64-65
TwinTec Mains Range	66
Nu-Assist	67
NX300 FloorCare Range	68-73
NX1K Lithium Range	74-77
Brushes & Pad Drives	78-79
FloorCare Accessories	80-81







"A diverse range delivering leading cleaning results from our latest battery technologies"



		• • •
	htvald	eight
ыч		ะเนเเ
	-	

A light commercial or domestic machine. Suited to the non-professional cleaner. Perfect for a variety of flooring options, including vinyl, slate, limestone and quarry tiles.

## Polishina

Professional higher speed machines for spray cleaning and polishing a variety of floors including vinyl and wood\*.

Professional use machines for a range of deep-cleaning situations in leisure, industry and floor maintenance.

#### Burnishina

Scrubbing

Professional, ultra-high speed machines for burnishing vinyl floors treated with metallised emulsion polishes - for the wet-look shine with specialised UH speed floor pads.

## **General Purpose**

Medium speed machines for a variety of uses and floor types. Lighter scrubbing and polishing on vinyl, stone and wood\*.

## Heavy-Duty Scrubbing

Specialist scrubbing machine with extra weight for heavy-duty situations.

# **HURRICANES**



NUSPEED

NLL332 Lightweight **General Purpose** 

Easy Storage Folds flat for compact convenience.



Wide Range of Accessories A variety of brushes and pads are available to suit your cleaning needs.

Optional solution tank
 Folds flat for easy storage
 Full range of brushes and pads

330MM Deck Size	400W Motor		<b>18KG</b> Weight
Power 230V / AC 50Hz		Clean	ing Range <b>32m</b>
Solution Tank Capacity 4L		Brush	Speed 200RPM
Brush Size 330mm		Pad	Size 330mm
330x540x1145mm (WxLxH)			

Please note information provided is for guidance only, please consult manufacturers guidance before use. \*Refer to manufacturer/supplier's data sheet for advice as not all wood/laminates are waterproof

64











Fully adjustable handle
 High-speed burnisher

- Simple load adjustment
   Optional vacuum (dry)

500MM Deck Size		<b>OW</b> otor	<b>35KG</b> Weight
Power 230V / AC 50Hz		Cleaning Range 32m	
Pad Size 500mm		Pad Pre	essure - Variable
560x740x1260mm (WxLxH)		Brush S	Speed 1500RPM



# **TWINTEC MAINS**

The TwinTec 1840 Mains Cable machine has been designed to address the question of size, whilst being exceptionally compact, with a performance equal to bigger machines.

#### TT1840G

Performance of a bigger machine Clean, dry and safe floors
Easy brush or pad change User-friendly controls
 Fully adjustable handle

<b>18L</b> Tank Capacity	400W Brush Motor		38.5KG Net Weight
Power 230V / AC 50Hz		Cleani	ng Range <b>42m</b>
Deck Size 400mm		Vac	Motor 300W
Brush Size 400mm		Pad	Size 360mm
520x880x1132mm (WxLxH)		Brush	Speed 150RPM





The TwinTec Mains Cable range has masterful performance moving under its own brush power with amazing speed and purpose. Available with 450mm, 550mm or 650mm scrub width.

TT6650G

Simple controls

60L

Tank Capacity

Power 230V / AC 50Hz

Deck Size 650mm

Brush Size 635mm

970x1260x1230mm (WxLxH)

Fully adjustable handle
 Tilting deck for easy brush / pad change

1500W

Brush Motor

87.6KG Weight

Cleaning Range 42m

Vac Motor 1200W

Pad Size 600mm

Brush Speed 150RPM



Simple controls Fully adjustable handle ting deck for easy brush / pad change

<b>40L</b> Tank Capacity	<b>1500W</b> Brush Motor		67/68KG Net Weight	
Power 230V / AC 50Hz		Cleaning Range 42m		
Brush Speed 150RPM		Vac Motor 1200W		
TT4045G		TT4055G		
Deck Size 450mm		Deck Size 550mm		
Brush Size 450mm		Brush Size 550mm		
Pad Size 40	00mm	Pad Size 500mm		
470x890x1100m	m (WxLxH)	560x935x1100mm (WxLxH)		

1 Fully Adjustable Handle (TT4045/4055G)

- 2 Tilting Deck for Easy Brush Change and Storage (TT4045/4055G)
- 3 Easy to Use Controls (TT4045/4055G)

Training & Support Around the Clock

The Nu-Assist App offers the benefit of online training through a simple, versatile and user-friendly solution, resulting in increased cleaning performance and productivity.

- □ 24/7 Access to Multilingual Training
- On-hand Troubleshooting and Maintenance
- Increased Cleaning Productivity
- Product Training

## How it works


- 1. Scan the QR Code on Machine
- 2. Open in App or Mobile Browser
- 3. View Quick Start Videos
- 4. Carry Out Maintenance Checklist
- 5. Complete Operation Training















For Genuine Numatic **Brushes**. Pads and Accessories See pages 78-81



## **Pro Cordless Network Increases Productivity**

NX300 Pro Cordless Network delivers professional level performance to a versatile and expanding range. Quicker, safer and more convenient, switching to Pro Cordless raises productivity levels, saving time and money.



## Visit: numatic.com/NX300-pro-cordless

her ambient temperatures may increase charge time.

## **Power the Entire Fleet with** NX300 Pro Cordless Network.

The NX300 Pro Cordless Network provides the opportunity of continuous cleaning through hot-swapping batteries across a versatile and expanding range.







# 70% Labour Saving 80% Lower Water Use


- Up to 80mins Runtime
- I-Hour Fast Charge
- NX300 36V Lithium Power
- One Fits All Battery
- Minimum 20% Recycled Plastic\*

\*Time saving of 70% vs mopping / wage  $\pounds11$  per hour, 100sqm 7 days per week. Water use by 80% based on replacing 16L mopping system, cleaning 7 days per week.



70





Contributed water delivery
 Made using 20% recycled plastic, including accessories
 Part of NX300 Pro Cordless Network

<b>2.2L</b> Tank Capacity	<b>3L</b> Recovery Tank		Vac Motor	<b>140RPM</b> Brush Speed			
Power 36V		Brush Motor 2x200W					
Recharge Time 1hr 80% / 2hrs 100%							
Deck Size 440mm			Runtime Up to 80mins				
Brush 2x220mm			Pad Size 2x220mm				
520x450x1180mm (WxLxH)			Net Weight 21.3kg				

## Working in partnership with 🔀 charity: water

Since 2021, we have donated over **100 Million** Litres of Water to **Projects Around** the World.

See pages 6-7 for more information or visit: numatic.com/charitywater

# The 244NX-RC is



by 80%.\*









Note: Subject to region availability, please contact your Numatic representative for information.





## **NX300**



We engineer many of our products from the highest quality recycled post-industrial and post-consumer plastics using ReFlo Technology. The TTB1840NX-R and TTB3045NX-R are made using a minimum 45% recycled plastic, including accessories.

TTB3045NX-R



 70mins runtime
 1-hour fast charge Clean, dry, safe and streak-free floors
Centrifugal water delivery
Made using 45% recycled plastic, including accessories
Part of the NX300 Pro Cordless Network Folds flat for easy storage

<b>18L</b> Tank Capacity	<b>100W</b> Vac Motor	4	<b>OOMM</b> Deck Size	<b>155RPM</b> Brush Speed			
Pov	ver <b>36V</b>		Brush Motor 250W				
F	Recharge Time	e 1hr	80% / 2hrs	100%			
Brush S	ize <b>400mm</b>		Runtime Up to 70mins				
Pad Si	ze <b>360mm</b>		Net Weight 34kg				
	520x850x	113	2mm (WxLxH	H)			

1 Easy Brush & Pad Change 2 Easy Battery Removal at the Back





o 70mins runtime 1-hour fast charge
 Compact machine, big results Boompact manual, big footback
 Hot-swapping between batteries
 Made using 45% recycled plastic, including accessories
 Part of the NX300 Pro Cordless Network

30L 210W 450MM 100RPM Tank Vac Deck Brush Capacity | Motor Size Speed Power 2x36V Brush Motor 300W

Recharge Time 1hr 80% / 2hrs 100% Brush Size 450mm Runtime Up to 70mins Pad Size 400mm Net Weight 79.3kg 470x915x1100mm (WxLxH)





3 Simple to Use Controls

4 TTB1840NX-R




#### "The Ten-Tec brush raises the standard in scrub brush performance."


#### All ReFlo FloorCare is equipped with Ten-Tec Brushes

- Lasts 10x longer, than a standard brush\*
- Replaces up to 100 standard Numatic red pads
- 47% improved cleaning results compared to standard Numatic brushes Reduces the need for chemical additives, lowering cleaning results


Available for use across the Numatic Scrubber Dryer range. \*Numatic Standard Polyscrub Brush.








5 TTB3045NX-R





45% represents the minimum use of recycled plastic in TTB180NX-R & TTB3045NX-R, including accessories.

72

## NX1K RANGE

#### **Runs Longer**

Configurable performance that suits you, offering increased runtime of up to 44%\*. Ensuring you can keep cleaning when it is most convenient for you.

#### More Sustainable

NX1K lasts longer than lead alternatives, significantly reducing material use and disposal, providing a much more sustainable solution.

#### Fast & Flexible Charging

Unlike Lead, NX1K Fast Charge Technology allows completely flexible charging, allowing you to use your machine whenever you need to, no matter how much it's charged. NX1K Fast Charge Technology drives productivity, providing you an increase in machine availability in comparison to Lead.

#### **Extended Long Life Power**

Delivering over 4000 charge cycles, NX1K will last as long as your machine. Utilising the latest Lithium Phosphate Technology, NX1K is one of the safest battery platforms on the market. A 8-year battery warranty provides complete peace of mind for you and your cleaning fleet.†

#### 

Built-in with our intelligent fleet management telemetry system, Nu-Track provides in-depth insights, lowering costs and increasing productivity across your fleet.‡



**4x Longer** Lasting than Lead **Batteries** 

arisons used are based on typical usage scenarios, results may differ. nce comparisons use equivalent GelTec models.

†8-Year Warranty subject to terms and market availability, please contact Numatic for more information.

‡ Nu-Track subject to market / model availability.



"Investing in Lithium, compared to routinely replacing lead batteries and associated service costs, provides a positive return on investment across the NX1K Range, therefore saving you money."



NX1K



NX1K battery platform powers commercial grade TwinFlo vacuum and brush motor for unrivalled cleaning performance, even in the most demanding environments.

### **NX1K Walk-Behind Scrubber Dryers**

Compact designPowerful cleaning results

On-board charging

40L

Tank Capacity

Brush Motor 300W

Pad Size 508mm

1 x Battery

Runtime 1hr 38mins

Recharge Time 2hrs 30mins

Net Weight 113.9kg







400W

Vac Motor

140RPM

Brush Speed

Deck Size 550mm

Brush Size 550mm

2 x Battery

Runtime 3hrs 9mins

Recharge Time 5hrs

Net Weight 124.7kg

Compact designPowerful cleaning results Fast and flexible charging
 Configurable battery performance that suits you

On-board charging

<b>40L</b> Tank Capacity		<b>OW</b> Motor	<b>140RPM</b> Brush Speed			
Brush Motor 30	ow	Dec	ck Size <b>450mm</b>			
Pad Size 400m	ım	Brush Size 450mm				
1 x Battery		2 x Battery				
Runtime 1hr 40n	nins	Runtime 3hrs 10mins				
Recharge Time 2hrs	30mins	Recharge Time 5hrs				
Net Weight 119.	3kg	Net Weight 130.6kg				
805x	1155x116	0mm <b>(Wx</b>	LxH)			

#### TBL6055



Big capacity, compact designClean, dry, safe floors in minutes

- Fast and flexible charging
- Stay cleaning for longer with over 3 hours runtime On-boarding charging
- 60L 400W 140RPM Tank Capacity Brush Speed Vac Motor Brush Motor 300W Deck Size 550mm Pad Size 508mm Brush Size 550mm 1 x Battery 2 x Battery Runtime 1hr 40mins Runtime 3hrs 10mins Recharge Time 2hrs 30mins Recharge Time 5hrs Net Weight 115.3kg Net Weight 126.1kg 948x1425x1120mm (WxLxH)



948x1200x1160mm (WxLxH)

- Big capacity, compact design
- Clean, dry, safe floors in minutes
   Fast and flexible charging
- Stay cleaning for longer with up to 3 hours runtime
- On-boarding charging
   Traction drive makes cleaning inclines safer and easier

60L Tank Capacity	-	<b>OW</b> Motor	<b>140RPM</b> Brush Speed			
Brush Motor 30	ow	Deck Size 550mm				
Pad Size 508m	ım	Brush Size 550mm				
Traction Drive 25	50W	Drive Speed 0-4km/h				
1 x Battery		2 x Battery				
Runtime 1hr 30n	nins	F	Runtime <b>3hrs</b>			
Recharge Time 2hrs	30mins	Recharge Time 5hrs				
Net Weight 141.	1kg	Net Weight 152kg				
948x	1425x112	0mm <b>(Wx</b>	LxH)			



- Compact design
- Powerful cleaning results
   Fast and flexible charging
- Configurable battery performance that suits you
   On-board charging
- Fast and flexible charging
   Configurable battery performance that suits you Traction drive makes cleaning inclines safer and easier

<b>40L</b> Tank Capacity		<b>OW</b> Motor	140RPM Brush Speed			
Brush Motor 30	ow	Dec	k Size <b>550mm</b>			
Pad Size 508m	ım	Brus	sh Size <b>550mm</b>			
Traction Drive 25	50W	Drive Speed 0-4km/h				
1 x Battery		2 x Battery				
Runtime 1hr 33n	nins	Runtime 3hrs 4mins				
Recharge Time 2hrs	30mins	Rech	narge Time <b>5hrs</b>			
Net Weight 123.	8kg	Net	Weight <b>134.7kg</b>			
948x	1200x116	0mm <b>(Wxl</b>	LxH)			



- Dual brush designPowerful cleaning results
- Fast and flexible chargingConfigurable battery performance that suits you
- On-board charging

<b>85L</b> Tank Capacity	<b>400</b> Vac N		150RPM Brush Speed			
Brush Motor 60	ow	De	eck Size <b>720mm</b>			
Pad Size 2x360	mm	Brush Size 2x370mm				
Traction Drive 40	W0	Drive Speed 0-4.2km/h				
2 x Battery		3 x Battery				
Runtime 3hrs	6	Runtime 4hrs 30mins				
Recharge Time 5	öhrs	Recharge Time 7hrs 30mins				
Net Weight 204.	1kg	Net Weight 214.9kg				
762x	1513x114	4mm <b>(W</b> )	(LxH)			



1 CRL8072

2 TBL4045

3 TBL6055T

## **NX1K Ride-On Scrubber Dryers**

CRL8055



Compact design Powerful cleaning results Fast and flexible charging
 Stay cleaning for longer On-board charging

<b>80L</b> Tank Capacity		<b>OW</b> Motor	150RPM Brush Speed			
Brush Motor 60	ow	Dec	k Size <b>550mm</b>			
Pad Size 508m	Im	Brus	sh Size <b>550mm</b>			
Traction Drive 40	wo	Drive Speed 0-6km/h				
1 x Battery		2 x Battery				
Runtime 1hr 20n	nins	Runtime 2hrs 40mins				
Recharge Time 2hrs	30mins	Recharge Time 5hrs				
Net Weight 139.8	3kg	Net Weight 150.6kg				
805x	1460x116	0mm <b>(Wx</b> l	LxH)			

**TRL720** 



User-friendly controls Dual brush design Fast and flexible charging Configurable battery performance that suits you On-board charging

<b>120L</b> Tank Capacity		<b>OW</b> Motor	150RPM Brush Speed			
Brush Motor 600	w	Dec	ck Size <b>720mm</b>			
Pad Size 2x360r	nm	Brust	n Size <b>2x370mm</b>			
Traction Drive 70	ow	Drive Speed 0-6.5km/h				
3 x Battery			4 x Battery			
Runtime 4hrs	;	Runtime 5hrs 20mins				
Recharge Time 7hrs	30mins	Recharge Time 10hrs				
Net Weight 282.6	ökg	Net Weight 293.4kg				
948x1	1676x142	5mm <b>(Wx</b>	LxH)			

76

CRL8072



- Compact design
   Best in class scrub width
- Fast and flexible chargingStay cleaning for longer
- On-board charging





**TVL850** 





- Trio adjustable brush design
- Configurable battery performance that suits you
- On-board charging

<b>120L</b> Tank Capacity		<b>OW</b> Motor	<b>212RPM</b> Brush Speed				
Brush Motor 3 x 4	00W	Deck Siz	e 650/750/850mm				
Pad Size 3x300r	nm	Brush	n Size <b>3x300mm</b>				
Traction Drive 70	ow	Drive Speed 0-6.5km/h					
3 x Battery		4 x Battery					
Runtime 3hrs 5n	nins	Runtime 4hrs 10mins					
Recharge Time 7hrs	30mins	Recharge Time 10hrs					
Net Weight 287.6	ôkg	Net Weight 298.4kg					
1054x	1676x142	25mm <b>(Wx</b>	LxH)				

5 x Battery & 6 x Battery configurations available for TRL720 and TVL850



### **Brushes & Pad Drives**

Careful selection of quality brushes and pads will ensure your FloorCare machine always operates at its best.



#### General use floor cleaning pad for hard floors. Suitable for light and daily cleaning jobs. Removes light dirt and scuff marks.


### **Specialised Brushes**

Rotary Machines Only.

Su su	ire So iitable	arifying Brush for scarifying a range of floor s, typically used in preparation rete flooring.		e on rotary		Carbo	n bas	ed dis		vide hig			Spiro Heavy	tex 6- /-duty	y Scarify Head scarify with 6	ing		hea
					F	otary l	Floor (	Cleane	rs			Twir	1Tec				Ride	e-On
Type	Image No.	Description	Brush / Pad Size mm	Part Number	HFM1515-R / HFM1523-R	HFM1530-R	HFM1545-R	HNS1550	NILL332	244NX-RC	TT1840G / TTB1840NX-R	TTB3045NX-R / TT4045G / TBL4045	ТТ4055G / ТВL4055/Т	TBL6055/T	TBL8572	CRL8055	CRL8072	TRL720
			330	606033					•									
			370	903449											•x2		•x2	•
	1	Polyscrub Brush	400 450	606105 606203	•						•	•						
			550	606028									•	•		•		
	2	244NX Nyloscrub Brush (Pack of 2)	220 330	911931 606556						•x2								
			330	903994					•		•				•		•	•
	3	Nyloscrub Brush	450	606204	•							•						
	$\vdash$		550 330	606550 606104					•				•	•		•		
S	4	Union Mix Polish Brush	400	606104					•		•							
Brushes		Tan Tao 244NV High Deformance Pruch (Dook of 2)		606202	•	•	•											
ñ	N/A	Ten-Tec 244NX High Performance Brush (Pack of 2)	220 370	918296 918293						•	•				•		•	•
	5	Ten-Tec High Performance Brush		918294	•							•			-			
	N/A	Ten-Tec Octo High Performance Brush	550 300	918295 918292									•	•		•		
	N/A	Octo Polyscrub Brush	300	606152														
	N/A	Octo Nyloscrub Brush	300	606151														
	N/A	Octo Long-Life Brush (Green)	300 370	606153 606302							•				•		•	•
	6	Long-Life Scrubbing Brush (Green)	450	606306	•							•						
	7	Long-Life Heavy-Duty Scrubbing / Stripping Brush (Black)	550 450	606551 606305	•								•	•		•		
						· ·				1					· · ·			
ÿ	8 N/A	244NX PadLoc Drive Board (Black) (Pack of 2) Octo PadLoc Drive Board	225 300	911844 606406						•								
PadLo			360	606400							•				•		•	•
ã	9	PadLoc Drive Board (Black)	400 500	606401 606403	•							•	•	•		•		
	N/A	Octo NuLoc2 Drive Board	300 360	900719 900524							•				•		•	•
N	10	NuLoc2 Drive Board	400	900525	•							•						
NuLoc2			500	900526									•	•		•		
z	11 N/A	NLL Drive Board High Speed Spider NuLoc2 Drive Board (450RPM) (HFM1545)	330 400	606111 606078			•		•									
	12	Flexi NuLoc2 Drive Board (300RPM) (HFM)	400	900528		•												
ler	13	Porcupine Pad Holder	400	606700	•													
Other	19	NuShine Topline Speed Burnishing Pad (Pack of 5)	500	901622				•										
	14	244NX NuPad Red (Pack of 10)	225	912353						•								
	15	244NX NuPad White (Pack of 10)	225	912354						•								
	16 17	244NX NuPad Green (Pack of 10) 244NX PU-Pad (Pack of 2)	225 225	912352 912356						•								
NuPad	18	244NX Diamond Twister Pad (Pack of 2)	225	912355						•								
z	20	NuPad Green (Pack of 5)	355 406	913228 606861							•	•						
	~	Nubert Destroyers (C)	355	913226							•	•						
	21	NuPad Red (Pack of 5)	406	606403								•						
7	22	Wire Scarifving Brush	400	606207	•													
ecialised	22 23	Wire Scarifying Brush Sandotex Disc Drive	400 400	606207 606209	•													

Guidance only - Each application should be assessed before selection of brush / pad. Specification subject to change without prior notice.

Burnishing pad for use with NuShine HNS1550 (500mm). Supplied as pack of 5.



Removes dirt and scuff marks.

Supplied as pack of 5.

Suitable for general daily cleaning jobs. Supplied as pack of 5

78

Specially developed with billions

Suitable for use on hard floors.

of microscopic diamonds.


Supplied as pack of 2.


















## Hurricane / NuSpeed

Accessories & TwinTec Blades

Using genuine Numatic accessories will ensure you achieve the best results from your FloorCare machine.



### TwinTec

**Tools & Accessories** 



# VersaCare

Versatility, innovation and quality are at the core of our janitorial cleaning systems. Attention to detail and practical engineering ensure complete customer satisfaction in function, operation and convenience.

#### Contents

Mop Kits	84-85
MULTI-Matic Range	86-89
ECO-Matic Range	90-93
SERVO-Matic Range	94-97
PRO-Matic Range	98-102
SRK Kits	103
Carousel Range	105
NuBag Range	106
Servo-X Range	107
NuKeeper Range	108-113
NuKeeper Top Tray & Hood Kits	114
NuKeeper End Frame Kits	115



"Raising cleaning standards and productivity with versatility, innovation and quality.."







The MidMop is always on-hand and easily stored, with a compact design providing a go-anywhere twin-bucket mopping system.



**MM30G** 

C/W 1 x Sponge

Velcro Fixing
 30L Capacity Bucket

Folding Press
 Castors: 4 x 50mm

Sponge Size 350mm
 340x475x320mm (WxLxH)

HB1812R





 Vertical Press for Flat or Kentucky/Twist Mop
 18L Clean Capacity / 12L Dirty Capacity Optional Mop Kits: DTK1 / DTK2 / DTK3 / DTK12G / DTK13G

- Castors: 4 x 75mm
- 410x560x800mm (WxLxH)

84



MINIMUM 50% RECYCLED CONTENT POST-CONSUMER PRE-CONSUMER



**MMB1616** 

Ré



- Vertical Press for Flat or Kentucky/Twist Mop
- 16L Clean Capacity / 16L Dirty Capacity
   Optional Mop Kits: DTK1 / DTK2 / DTK3 / DTK12G / DTK13G
- Optional Handle
- Castors: 4 x 75mm
- 510x680x1020mm (WxLxH)

Bespoke Janitorial

See page 9

## **MULTI-MATIC**

Designed for enhanced usability, productivity and simplicity, MULTI-Matic offers a choice of 9 models to suit any cleaning task or environment.





#### Made using Recycled Plastic **ReFlo Technology uses the highest quality recycled plastic,** delivering the same Numatic reliability, durability and

quality as always.

## **Compact & Versatile Mopping Trolley**



















MODEL	ммо	MM1	MM2	ММЗ	MM4	MM5	MM6	MM7	MM8
Waste	-	-	70L	-	70L	-	70L	-	70L
Storage Options	-	-	-	-	-	Shelf	Shelf	-	-
Castors	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm
Dolly Mop Basket	-	Yes	Yes	-	-	-	-	-	-
Press	-	-	-	Vertical Press	Vertical Press	-		-	-
Buckets	-	2 x 5L							
Mop Bucket	-	1 x 28L	1 x 28L	1 x 15 / 1 x 17L	1 x 15 / 1 x 17L	-	-	1 x Dosed, 1 x 28L	1 x Dosed, 1 x 28L
Hooks	-	1 x Large T-Slot Hook							
Clips	-	1 x T-Slot Mopstick Clip							
Dimensions (WxLxH)	480x940x1130 mm	480x940x1130 mm	480x940x1130 mm	480x940x1130 mm	480x940x1130 mm	480x940x1130 mm	480x940x1130 mm	480x940x1130 mm	480x940x1130 mm

MM2














5L SWING BUCKE	T 5L SWI BUCKE		A B	KET KIT	15L T	WINMOP	BUCKET
					1	4	
<ul> <li>5L Swing Bucket, Red Ha</li> <li>5L Swing Bucket, Blue Ha</li> <li>5L Swing Bucket, Green Ha</li> <li>5L Swing Bucket, Yellow Ha</li> </ul>	ndle PN: 905226 Indle PN: 905227 Indle PN: 90527 Ind	Swing 5L S ear 5L S	ucket Holder C/W I wing Bucket Kit, Re wing Bucket Kit, Bl wing Bucket Kit, Gr wing Bucket Kit, Ye	ed Handle PN: 906 ue Handle PN: 906 reen Handle PN: 90	277 0 15L Tv 278 0 15L Tv 26279 0 15L Tv 26279 0 15L Tv	vinMop Bucket, vinMop Bucket,	Red Handle PN: 905221 Blue Handle PN: 905223 Green Handle PN: 9052 Yellow Handle PN: 9052
17L FRONT MOP BUCKET	15L REAR MOP BUCKET	28L TWINN BUCKET	IOP		MOP BASK		ASTE BAG CURING
		1					
1 x 17L Bucket, Blue Handle Used on: MM3 / 4 PN: 915058	<ul> <li>1 x 15L Bucket, Red Handle</li> <li>Used on: MM3 / 4 PN: 915057</li> </ul>	28L TwinMop Bill		PN: 905218 lle PN: 905219	<ul> <li>Dolly Mop Bask</li> <li>PN: 906729</li> </ul>		ed on: MM2 / 4 / 6 / 8 \: 913978
WASTE BIN LID	TOP STORAGE TRAY	MID STORA	GE TRAY	MB400 MC	DP DOSING	MB400 MB400 MBUCKET	MOP DOSING
Used on: MM2 / 4 / 6 / 8 PN: 913979	<ul> <li>Used on: MM1 / 3 / 5 / 7 PN: 913981</li> </ul>	□ Used on: MM5 / PN: 915060	6	Dosed Mop Bu     Used on: MM7     PN: 915406		Dosed Mop     Used on: M     PN: 915407	
MB400 MOUNTING BRACKET	VERTICAL MOP PRESS		B	FABRIC W	ASTE BAG	BAG SPL KIT	
		<ul> <li>Large Wheel Kit PN: 915320</li> </ul>				<ul> <li>1 x Bag Spli</li> <li>C/W 70L Wa</li> <li>Used on: MI</li> <li>PN: 919813</li> </ul>	aste Bags M 2/ 4/ 6/ 8
	Flat Moo Press	75MM CAS	TOR X1			WASTE	BAGS
Dosed Mop Bucket Bracket Frame Used on: MM7 / 8 PN: 915613	Used on: MM3 / 4     PN: 915326     Kentucky/Twist Mop Press     Used on: MM3 / 4     PN: 915237	□ Castor x1 204118		<ul> <li>Multi-pocket fo Convenient Sto PN: 915319</li> </ul>		<ul> <li>70L Waste B Grey, Roll x PN: 908230</li> </ul>	
GREY CADDY	TWIN 1L BOTTLE HOLDER	MOP SUPP KIT	-	RGE & SMAI LOT HOOK	LL	MOP CL	AMP & CLIP
	T			A	в	c	•
Carry Cleaning Products PN: 628437	<ul> <li>Twin 1L Bottle Holder, ReFlo Black PN: 910375</li> </ul>	<ul> <li>1 x Mop Suppor on-board Mop S</li> <li>PN: 915321</li> </ul>	t for De Al- Storage De Ble	<ul> <li>Small T-Slot Hook</li> </ul>	(x10) PN: 912547	C - T-Slot C     D - Mopstic	lamp (x1) PN: 912528 lamp (x10) PN: 912529 k Clip (x1) PN: 629874 k Clip (x10) PN: 629883



## **ECO-MATIC**





#### Our ReFlo produced Janitorial Range of products carry the globally recognised SCS Recycled Content Certification.

Working with an independent auditing body provides complete transparency and assurance to our customers. All our products certified by SCS Global Services guarantee a minimum of 50% recycled material is used.

## **Mopping Storage & Waste**

EM1







EM4

EM5





MODEL	EM1	EM2	EM3	EM4	EM5	EM6
Waste	120 / 2 x 70L	120 / 2 x 70L	120 / 2 x 70L	2 x 120 / 4 x 70L	120 / 2 x 70L	2 x 120 / 4 x 70L
Storage Options	Shelf	2 x Deep Drawers	Shelf	Shelf	2 x Deep Drawers	2 x Deep Drawers
Castors	4 x 100mm	4 x 100mm	4 x 100mm	4 x 100mm	4 x 100mm	4 x 100mm
Kits	SRK14 / 20 / 21 / 22	SRK14 / 20 / 21 / 22	SRK15 / 16 / 19 / 20 / 21 / 22	SRK 20 / 21 / 22	SRK15 / 16 / 19 / 20 / 21 / 22	SRK20 / 21 / 22
Optional Security	-	Lockable Drawers	-	-	Lockable Drawers	Lockable Drawers
Optional SprayMop	Yes	Yes	-	-	-	-
Wall and Door Buffers	Yes	Yes	Yes	Yes	Yes	Yes
Dimensions (WxLxH)	545x900x1000mm	545x900x1000mm	545x1160x1000mm	545x1230x1000mm	545x1160x1000mm	545x1230x1000mm

Made using the highest quality recycled plastic, each model in the **ECO-Matic range benefits** from 100% Structofoam construction, making it tough, easy to clean and built to last.

The best value cleaning trolley range on the market. Ergonomically Designed Enhanced Sustainability

Built to Last



Optional Wet Floor Sign.

s for illustration purposes only

EM1 with Kit SRK14 and SRK21.

















## **SERVO-MATIC**




SERVO-Matic offers an SMO base unit with the opportunity to add extra fixtures and fittings to create the perfect fit for your janitorial needs.

#### Selecting the perfect fit is easy with SERVO-Matic.

- Increase Productivity
- Exceptionally Tough
- Enhanced Sustainability




1 Non-Marking Buffers for Wall & Door Protection 2 Integrated Wet Floor Sign Storage 3 Open Shelf Storage for Easy Access of Equipment



### **Made using Recycled Plastic**

**ReFlo Technology uses the highest quality recycled plastic,** delivering the same Numatic reliability, durability and quality as always.

## **Compact Storage & Waste Trolley**



MODEL	SMO	SM1	SM2
Waste	-	120L / 2 x 70L	120L/2x7
Storage Options	Storage Drawer	Storage Drawer	Storage Dra
Castors	4 x 125mm (2 x Braked, 2 x Standard)	4 x 125mm (2 x Braked, 2 x Standard)	4 x 125mr (2 x Brake 2 x Standa
Kits	Multiple Options	Multiple Options	Multiple Opti
Bin Surround	-	-	Yes
Dimensions (WxLxH)	580x968x1083mm	570x1325x1115mm	570x1325x111



	SM3	SM4	SM5
70L	120L / 2 x 70L	120L / 2 x 70L	120L / 2 x 70L
awer	Storage Drawer	Storage Drawer	Storage Drawer
m ed, ard)	4 x 125mm (2 x Braked, 2 x Standard)	4 x 125mm (2 x Braked, 2 x Standard)	4 x 125mm (2 x Braked, 2 x Standard)
ions	Multiple Options	Multiple Options	Multiple Options
	Yes	-	-
15mm	580x1335x1073mm	580x1720x1130mm	570x1120x1115mm

- Select your Trolley Base
- Pick your Storage Options
- Choose your Accessories
- Submit your Configuration

#### Visit: numaticsupport.com/nu-design

### **SERVO-Matic SM5**


The SM5 comes complete with a more cost-effective and accessible solution to storing your 244NX scrubber dryer.





**1.** Mount to pivot point 2. Lift and click into position **3**. Retract clip to release

Please note: Ensure brakes are applied on castors before attaching.



## **SERVO-Matic End Kit Options**



SM1 120L WASTE BIN END KIT 120L Bag Tray
 Bag Frame & Lid Set 120L Waste Bags (Roll of 10) PN: 919709

Bag Frame & Lid Set 244NX Bracket Kit

PN: 919423

120L Waste Bags (Roll of 10)





919683 Push Handle for SM0 Trolley

PN: 906341







PN: 919420



240L Bag Frame & Lid Set Trolley Extension Tray 120L Waste Bags (Roll of 10) 2 x Castors Push Handles PN: 917138



#### **SM TROLLEY SYSTEM KIT** Shallow Storage Box 16L

 35L Deep Storage Box C/W Divider
 Kit SRK30 NI SHA30
 120L Zipped Waste Bag Coverall
 Used on: SM1 / 4 / 5 PN: 919297



SM5 244NX BRACKET KIT SM0 PUSH HANDLE

## **PRO-MATIC**

The PRO-Matic range offers a 100% configurable cleaning system, increasing operator usability and productivity.

#### Unlimited configuration options with complete versatility.

- Fully Customisable
- Safe & Secure
- Enhanced Sustainability



**Nu-Design** 

Bespoke Janitorial

See page 9

### **Configurable, Safe & Secure**





**PM11** 

PM20



PM30




MODEL	PM10	PM11	PM12	PM20	PM21	PM22	PM30	PM31	PM32
Waste	1 x 120L / 2 x 70L	1 x 120L / 2 x 70L	2 x 120L / 4 x 70L	1 x 120L / 2 x 70L	1 x 120L / 2 x 70L	2 x 120L / 4 x 70L	1 x 120L / 2 x 70L	1 x 120L / 2 x 70L	2 x 120L / 4 x 70L
Storage Drawers	-	Optional	-	Optional	Optional	Optional	Optional	Optional	Optional
Doors	-	Optional	-	Optional	Optional	Optional	Optional	Optional	Optional
Castors Size	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Detachable Wheeled Bin	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Dimensions (WxLxH)	580x972x1073 mm	580x972x1073 mm	580x972x1073 mm	580x1335x1073 mm	580x1335x1073 mm	580x1335x1073 mm	580x1700x1073 mm	580x1700x1073 mm	580x1700x1073 mm



#### Our ReFlo produced Janitorial Range of products carry the globally recognised SCS Recycled Content Certification.


Working with an independent auditing body provides complete transparency and assurance to our customers. All our products certified by SCS Global Services guarantee a minimum of 50% recycled material is used.

A choice of 12 base units and a wide-range of kits and accessories, no detail goes unmissed with **PRO-Matic**; meeting the precise requirements of any user, in any environment, for any application.





1 Safe & Secure Storage 2 Drawer Storage Options



**Removable Bin Feature** Completely detachable and manoeuvrable swing-out bin for convenient waste removal. Colour-coding options available for effective infection control.





















### **PRO-Matic Trolley Range**

The PM13 provides a lockable and manoeuvrable solution.

A completely configurable cleaning system with a wide choice of features to suit operator usability and productivity. Ready for anything, always on the go and on-hand wherever you need it.





and Lockable Doors. Consumables for illustration purposes only. The PRO-Matic PM24 and PM34 provide a lockable multi-waste recycling system, offering the options to separate your waste responsibly with a choice of 3 or 4 industry colour-coded bins.





#### **PM13 OPTIONAL CONFIGURATIONS**



 2 x Deep Storage Drawers
 4 x Shallow Storage Drawers 6 x Storage Box Runners
 Castors: 4 x 100mm Lockable Doors □ 4 x 5L Pails 2 x 10L Buckets
 580x972x1073mm (WxLxH)



2 x Deep Storage Drawers 4 x Shallow Storage Drawers
 6 x Storage Box Runners Castors: 4 x 100mm
 580x972x1073mm (WxLxH)



 2 x Deep Storage Drawers
 4 x Shallow Storage Drawers 6 x Storage Box Runners
 Castors: 4 x 100mm Lockable Doors
 580x972x1073mm (WxLxH)

**PM24** 



Waste 3 x 120L / 6 x 70L End Detachable Wheeled Bins and Central Static Bin Optional Castors Lockable Doors Industry Colour-coding
 580x1335x1073mm (WxLxH)

**PM34** 

Waste 4 x 120L / 8 x 70L End Detachable Wheeled Bins and Central Static Bins Optional Castors
 Lockable Doors Industry Colour-coding
 580x1700x1073mm (WxLxH)

100



PM24 with SRK21 and SRK22 Kits and SRK28 Door Panel Kits. Consumables for illustration purposes only.




Completely detachable and manoeuvrable swing-out bin for convenient waste removal. Colour-coding options available for effective infection control.

## **PRO-Matic Mop Kits & Accessories**

KIT SRK1S / SRK	(1KS	KIT SRK2S / SRK2KS	KIT SRK3S	KIT SRK4
<ul> <li>Vertical Press for Flat o Kentucky/Twist Mop</li> <li>1 x 17L Red Handle Bt</li> <li>1 x 17L Blue Handle Bi</li> <li>1 x Bucket Support Tra</li> <li>Used on: PM10 / 20 / 3 Flat Mop Press PN: 90 Kentucky/Twist Mop Pr</li> </ul>	ucket, Grey ucket, Grey ay 30 9523	<ul> <li>Vertical Press for Flat or Kentucky/Twist Mop</li> <li>1 x 22L Red Handle Bucket, Grey</li> <li>1 x 22L Blue Handle Bucket, Grey</li> <li>1 x Extension Tray</li> <li>Used on: PM10 / 20 / 30 Flat Mop Press PN: 909524 Kentucky/Twist Mop Press PN: 910349</li> </ul>	<ul> <li>Speedclean Wide Press with Stainless Steel Handle</li> <li>1 x 22L Red Handle Bucket, Grey</li> <li>1 x 22L Blue Handle Bucket, Grey</li> <li>1 x Extension Tray</li> <li>Used on: PM10 / 20 / 30 PN: 909525</li> </ul>	<ul> <li>1 x MopMatic2 Bucket, Grey</li> <li>C/W Set of Colour-coded Discs</li> <li>C/W 2.5L Dosing Bottle</li> <li>1 x 22L Red Handle Bucket, Grey</li> <li>1 x Extension Tray</li> <li>Used on: PM10 / 20 / 30 PN: 910433</li> </ul>
KIT SRK5	led Discs	KIT SRK6S 2 x MopMatic 2 Buckets, Grey • CW Set of Colour-coded Discs • CW 2.5L Dosing Bottle • 1 x 22L Red Handle Bucket, Grey, C/W Lid • MopMatic2 Hang-on Frame,	MIDMOP OPTION MMB1616	KIT SRK62S
C/W 2.5L Dosing Bottle     1 x Extension Tray     Used on: PM10 / 20 / 3     PN: 910435		Stainless Steel 1 x Extension Tray Used on: PM10 / 20 / 30 PN: 909526	<ul> <li>Vertical Press for Flat or Kentucky/Twist Mop</li> <li>510x680x1020mm (WxLxH)</li> <li>Used on: PM10 / 20 / 30</li> </ul>	<ul> <li>Hood Set</li> <li>Lockable</li> <li>Used on: PM Range PN: 910316</li> </ul>
Optional Doors	IT SRK30		KIT SRK49	BAG SPLITTER KIT
and Hinges         0           Used on:         a           PM11 / 13 /         0           20 / 21 / 22 /         1           30 / 31 / 32         3	Back Panel C/W Locks and Hinges Jsed on: PM11 / 13 / 20 / 21 / 22 / 30 / 31 / 32 PN: 911444	<ul> <li>Optional Double Doors and 2 x Back Panels</li> <li>C/W Locks and Hinges</li> <li>Used on: PM13 / 21 / 30 / 31 / 32 PN: 911447</li> </ul>	<ul> <li>Swing-out Bin</li> <li>Used on: PM10 / 11 / 12 / 20 / 21 / 22 / 30 / 31 / 32 PN: 912815</li> </ul>	<ul> <li>1 x Bag Splitter with Fixing Screws for Dual Waste</li> <li>C/W Roll of 70L Waste Bags</li> <li>C/W Colour-coded Discs</li> <li>Used on: PM Range PN: 912817</li> </ul>
NUMATIC QUIC TROLLEY BRAC		CUSTOMISABLE DOOR PAN	ELS	
1 x Numatic Quick Troll     Used on:     PM Range     PN: 916341	ley Bracket	KIT SRK27 • Door Graphic Set No.1 Happy Cleaning PN: 908172 KIT SRK28 • Door Graphic Set No.2 Big Ben PN: 908173 KIT SRK29 • Door Graphic Set No.3 Sunflowers PN: 908174 For a personalised door panel with your		

### **SRK Kits**

КЛТ											
	PART No.	EM1	EM2	EM3	EM4	EM5	EM6	SMO	SM1	SM2	
SRK0	910413							•	•	•	
SRKOK	910414							•	•	•	
SRK1	910415							•	•	•	•
SRK1K	910416							•	•	•	
SRK1S	909523										
SRK1KS	910348										
SRK2	910425							•	•	•	
SRK2K	910426							•	•	•	
SRK2S	909524										
SRK2KS	910349										
SRK3	910430							•	•	•	
SRK3S	909525										
SRK4	910433							•	•	•	
SRK5	910435							•	•	•	
SRK6	910436							•	•	•	
SRK6S	909526										
SRK8	911222										
SRK14	910439	•	•								
SRK15	910440			•		•					
SRK16	910442			•		•					
SRK16K	910443			•		•					
SRK19	910843			•		•					
SRK20	910758	•	•	•	•	•	•				
SRK21	910898	•	•	•	•	•	•	•	•	•	
SRK22	911401	•	•	•	•	•	•	•	•	•	
SRK26	908171							•	•	•	
SRK27	908172							•	•	•	
SRK28	908173							•	•	•	
SRK29	908174							•	•	•	
SRK30	911444							•	•	•	
SRK31	911447										
SRK35S	909072										
SRK36S	909073										
SRK42S	909075										
SRK43S	909076										
SRK44S	909232										
SRK49	912815										
SRK50	912849										
SRK51	912853										
SRK62	910315							•	•	•	
SRK62S	910316										





### Made using Recycled Plastic

**ReFlo Technology uses the highest quality recycled plastic,** delivering the same Numatic reliability, durability and quality as always.



## CAROUSEL

The Carousel is, without a doubt, not only an outstanding mobile cleaning module but also a very clever design providing several cleaning facilities in one exceptionally compact and easy to handle, user-friendly package.

NCOR



Waste 70L
 2 x 5L Swing Pails
 CW SprayMop Master and Tray
 Castors: 4 x 80mm
 480x545x890mm (WxLxH)

NC3R





 Waste 2 x 70L
 Castors: 4 x 80mm a 480x545x890mm (WxLxH)

NC2R

Waste 70L
1 x 4L Small Caddy
1 x 10L Large Caddy
Castors: 4 x 80mm 480x545x890mm (WxLxH)



NC1R



- Waste 70L
   1 x 4L Small Caddy
   14L Bucket and Dolly Mop Basket
   Castors: 4 x 80mm
   Optional Twist Mop (NC1R-TM)
   480x545x890mm (WxLxH)







- 2 x 4L Small Caddy
  2 x 10L Large Caddy
  Castors: 4 x 80mm
- 480x545x890mm (WxLxH)



## **NUBAG**

The NuBag range has been designed to provide space saving answers with super strong construction and a smaller capacity when needed.





#### Made using Recycled Plastic

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.

NSX240R

NB3002R / AT





LLT200R

NBT200R







MODEL	SAX120PR	NSX240R	LLT200R	NBT200R	NB3002R / AT
Waste	1 x 120L	2 x 120L	2 x 100L	2 x 100L	1 x 100L + 1 x 200L
Castor Size	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm	4 x 200mm
Dimensions (WxLxH)	655x550x910mm	580x780x965mm	580x780x965mm	580x780x860mm	655x1110x1115mm

## **SERVO-X**

Big in use, small in storage, the Servo-X trolley range will always find favour in the many locations where space is at an absolute premium.



NX1001



1 NX1002 (Consumables for illustration purposes only.) 2 X-Fold Design for Compact Storage 3 Integrated Laundry Bag Closure System

NX1501

NX2001





MODEL	NX1001	NX1002	NX1002 NX1501		NX2401
Waste	100L	2 x 100L	150L	200L	240L
Castor Size	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm	4 x 75mm
Dimensions (WxLxH)	sions (WxLxH) 390x460x960mm		460x760x760mm	460x760x960mm	550x780x960mm





NX1002





NX2401






## **NUKEEPER NKS Single & Low Level**

Compact, considered and capable... The NKS range will always be a welcome addition to housekeeping where space is at a real premium.





NKS1LLR







3



MODEL	NKS1LLR NKS2LLR NKS1R		NKS2R	
Waste	1 x 100L	2 x 100L	1 x 100L	2 x 100L
Castor Size	4 x 100mm	4 x 100mm 4 x 100mm 4 x 100mm		4 x 100mm
Height	Low Level	Low Level	Full Height	Full Height
Storage	1 x Shelf	1 x Shelf	2 x Shelves	2 x Shelves
Dimensions (WxLxH)	582x998x1026mm	582x1420x1026mm	582x998x1352mm	582x1420x1352mm



Consumables for illustration purposes only.



1 Folding Bag Ends & Heavy-Duty Construction 2 Easily Detachable Laundry Bags 3 Flexi-Front Enclosure 4 Numatic Quick Trolley Bracket

108

### **Compact Laundry Flexi-Front**

NKS2LLR



NKS2R





## **NUKEEPER NKT Twin & Low Level**

Compact in size... Big on storage. The NKT range has a Flexi-Front

enclosure, rotating side buffers to protect walls and even a Low Level (LL) version when visibility during transit is a consideration.





#### Made using Recycled Plastic ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and

quality as always.

## **Compact Laundry Flexi-Front**

NKTOR

NKT1R







NKTOLLR

NKT1LLR





MODEL	NKTOR	NKT1R	NKT2R	NKTOLLR	NKT1LLR	NKT2LLR
Waste	-	1 x 100L	2 x 100L	-	1 x 100L	2 x 100L
Castor Size	4 x 100mm	4 x 100mm	4 x 100mm	4 x 100mm	4 x 100mm	4 x 100mm
Height	Full Height	Full Height	Full Height	Low Level	Low Level	Low Level
Storage	2 x Twin Shelves	2 x Twin Shelves	2 x Twin Shelves	1 x Twin Shelf	1 x Twin Shelf	1 x Twin Shelf
Dimensions (WxLxH)	582x940x1352mm	582x1361x1352mm	582x1783x1352mm	582x940x1026mm	582x1361x1026mm	582x1783x1026mm





1 Easily Detachable Laundry Bags 2 Rotating Buffers for Wall & Door Protection 3 Folding Bag Ends & Heavy-Duty Construction



110

NKT2R



NKT2LLR



## **NUKEEPER NKU Professional Universal**



The NuKeeper Universal has been designed in every way for demanding hotel cleaning regimes, tackling narrow corridors, heavy loads and the pressures of time sensitive public-space day cleaning.



**NKU30RFF** 

NKU31RHF

**NKU30RHF** 



NKU32RFF







NKU31RFF









MODEL	NKU30RFF	NKU30RHF	NKU31RFF	NKU31RHF	NKU32RFF	NKU32RHF
Waste	-	-	1 x 100L	1 x 100L	2 x 100L	2 x 100L
Castor Size	4 x 200mm All-Terrain	4 x 200mm All-Terrain	4 x 200mm All-Terrain	4 x 200mm All-Terrain	4 x 200mm All-Terrain	4 x 200mm All-Terrain
Closure	Flexi-Front	Hard-Front Bi-fold Doors	Flexi-Front	Hard-Front Bi-fold Doors	Flexi-Front	Hard-Front Bi-fold Doors
Security	-	Lockable	-	Lockable	-	Lockable
Storage	1 x Twin Shelf	1 x Twin Shelf	1 x Twin Shelf	1 x Twin Shelf	1 x Twin Shelf	1 x Twin Shelf
Dimensions (WxLxH)	667x1116x1205mm	667x1116x1205mm	667x1532x1205mm	667x1532x1205mm	667x1948x1205mm	667x1948x1205mm





# Space-Saving Customisable Secure



1 NKU31RHF with Top Kit NKA11R 2 Lockable Tablet Option 3 Flexi-Front System Consumables for illustration purposes only.



## **NUKEEPER** Top Tray & Hood Kits

A complete range of accessory kits provide the specification you need with no compromise.



**End Frame Kits** NKA100PR NKA100PAR Bag Capacity 1 x 100L
 Optional Moulded Laundry Bag Extension Kit
 Adjustable Handle Bag Capacity 1 x 100L
 Optional Moulded Laundry Bag Extension Kit PN: 913190 PN: 910627 NKA102PR NKA103PR Waste 1 x 140L / 2 x 70L Waste 1 x 120L Optional Moulded Linen Bag Extension Kit
 C/W 3 Piece Lid Set, Black
 PN: 913397 Optional Moulded Twin Waste Bag Extension Kit
 C/W Split Lid Set, Red / Blue PN: 913395 NKA109UR NKA111UR Optional Vacuum Storage Platform and Support
 Frame Kit, Black Optional End Kit Twin End Half Tray Kit, Black Used on: NKU Models Only PN: 913402 Used on: All NKS / NKT / NKU Models PN: 913409 NKA120R NKA130UR Optional End Kit SprayMop Tray Kit, Black

Used on: All NKS / NKT / NKU Models PN: 913412





## Numete Performance You Can Trust.

**Head Office Numatic International Limited** Chard, Somerset TA20 2GB UNITED KINGDOM

Tel: +44 (0)1460 68600

Numatic International GmbH Fränkische Straße 15-19 30455 Hannover DEUTSCHLAND

Tel: +49 (0) 511 984 2160 numatic.de

Numatic International Denmark Fränkische Straße 15-19 30455 Hannover DEUTSCHLAND

Tel: +45 (0) 316 40808 numatic-online.dk

Numatic International S.A.S 13/17 rue du Valengelier EAE la Tuilerie, 77500 Chelles FRANCE

Tel: +33 (0) 164 726 161 numatic.fr

Numatic International BV Vennootsweg 15 2404 CG, Alphen aan den Rijn NEDERLAND

Tel: +31 (0) 172 467 999 numatic.nl

Numatic International Schweiz AG. Sihlbruggstrasse 3A 6340 Baar

Tel: +41 (0) 41 768 0760 numatic.ch

## Numatic International (PTY) Ltd. Cnr. 16th & Pharmaceutical Road Randjes Park Midrand 1685 P.O. Box 3867 SOUTH AFRICA

Tel: +27 (0) 861 686 284 numatic.co.za

Numatic International LDA Rua Francisco da Silva Duarte, nº79 4475-269 Santa Maria de Avioso Castêlo da Maia PORTUGAL

Tel: +351 220 047 700 numatic.pt

Numatic International SLU Av. Baix Llobregat 5-7, Oficina bajos 1 (Parc Negocis Mas Blau II) 08820 El Prat de Llobregat Barcelana Barcelona SPAIN

Numatic International Italy S.R.L Via Luigi Galvani, 2 Z.I. Talponedo 33080 Porcia (PN) ITALY

Tel: +39 (0) 434 046 211 numatic.it



©Numatic International Limited 2025. Specification subject to change without prior notice 916095 H1 2025 (Global) (V1)